For Research Use Only

## CoraLite®594-conjugated COMMD1 Polyclonal antibody



**Purification Method:** 

IF/ICC 1:50-1:500

wavelengths: 588 nm / 604 nm

Antigen Affinity Purified

Recommended Dilutions:

Excitation/Emission maxima

Catalog Number: CL594-11938

**Featured Product** 

**Basic Information** 

Catalog Number: CL594-11938 Size:

1000 µg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG2535

**Tested Applications:** 

IF/ICC, FC (Intra) Species Specificity: human, mouse, rat

GenBank Accession Number:

BC022046 GeneID (NCBI): 150684 **UNIPROT ID:** Q8N668 Full Name:

copper metabolism (Murr1) domain containing 1

Calculated MW: 190 aa, 21 kDa Observed MW: 21 kDa

Positive Controls:

IF/ICC: HepG2 cells,

## **Background Information**

COMMD1(COMM domain-containing protein 1), also named MURR1, is implicated in copper homeostasis by binding one copper ion per monomer. COMMD1 was reported to accelerate the ubiquitination and degradation of NF-kappa-B subunits, its deficiency exerts enhanced NF-kappa-B mediated celluar response. Ubiquitinated by XIAP (X-linked inhibitor of apoptosis), COMMD1 undergoes proteasomal degradation. SOD1 activity can be downregulated by COMMD1.

Storage

**Applications** 

Storage:


Store at -20°C. Avoid exposure to light.

Storage Buffer:


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using CoraLite®594 COMMD1 antibody (CL594-11938) at dilution of 1:200.



1X10^6 HepG2 cells were intracellularly stained with 0.4 ug Coralite®594 Anti-Human COMMD1 (CL594-11938) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).