For Research Use Only

CoraLite®594-conjugated Galectin-3 proteintech Polyclonal antibody

www.ptglab.com

Purification Method:

IF/ICC 1:50-1:500

wavelengths: 588 nm / 604 nm

Antigen affinity purification

Excitation/Emission maxima

Recommended Dilutions:

Catalog Number: CL594-14979

Featured Product

Basic Information

Catalog Number: CL594-14979

Size: 1000 µg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG6891

Tested Applications: IF/ICC, FC (Intra) Species Specificity:

human, mouse, rat

GenBank Accession Number:

BC001120 GeneID (NCBI): 3958 **UNIPROT ID:** P17931

Calculated MW:

26 kDa Observed MW: 31 kDa

Full Name: lectin, galactoside-binding, soluble, 3

> Positive Controls: IF/ICC: HeLa cells,

Background Information

Galectins are a family of animal lectins defined by shared characteristic amino-acid sequences and affinity for $\,\beta$ galactose-containing oligosac-charides (PMID: 8063692). Galectin-3, a member of the $\,\beta$ -galactoside-binding proteins, contains one carbohydrate recognition domain (CRD) and a proline- and glycine-rich N-terminal domain through which is able to form oligomers (PMID: 14758078). Galectin-3 is widely expressed in many normal tissues and a variety of tumors. It is found intracellularly in nucleus and cytoplasm or secreted outside of cell, being present on the cell surface or in the extracellular space (PMID: 16478649). Galectin-3 is involved in various biological processes including cell growth, adhesion, differentiation, apoptosis, angiogenesis, immune response, neoplastic transformation and metastasis (PMID: 16478649; 14758078).

Storage

Applications


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using CoraLite®594 Galectin-3 antibody (CL594-14979) at dilution of 1:200.



1X10^6 HeLa cells were intracellularly stained with 0.4 ug CoraLite® 594 Anti-Human Galectin-3 (CL594-14979) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).