For Research Use Only

CoraLite®594-conjugated S100A4 Polyclonal antibody

Oroteintech

Antibodies | ELISA kits | Proteins

www.ptglab.com

Catalog Number:CL594-16105 Featured Product

Basic Information

Catalog Number:

CL594-16105 BC016300 Size: GeneID (NCBI):

1000 ug/ml 6275
Source: ENSEMBL Gene ID:

Rabbit ENSG00000196154
Isotype: UNIPROT ID:

IgG P26447
Immunogen Catalog Number: Full Name:

AG9019 S100 calcium binding protein A4

Calculated MW: 101 aa, 12 kDa Observed MW: 10-12 kDa

GenBank Accession Number:

Purification Method:

Antigen affinity purification Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima wavelengths:

588 nm / 604 nm

Applications

Tested Applications: IF/ICC, FC (Intra) Species Specificity:

human, mouse

Positive Controls:

IF/ICC : HeLa cells,

Background Information

S100A4 is a member of the S100 family of calcium-binding proteins. The S100 family members have been involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100A4 is known to localize to and function in the nucleus, cytoplasm of cells, and the extracellular space. S100A4 has also been shown to be associated with tumor growth, motility, invasion, metastasis, angiogenesis, apoptosis, and chemoresistance. It is a fibroblast-specific protein associated with mesenchymal cell morphology and motility, is expressed during epithelial-mesenchymal transformations (EMT) in vivo (PMID: 9362334). It is a specific prognostic marker for renal survival in patients with IgAN (PMID: 16105038). It is also an improved marker for lung fibroblasts that could be useful for investigating the pathogenesis of pulmonary fibrosis(PMID: 15618458). Overexpression of S100A4 is correlated with a worse prognosis inpatients with various types of cancer.

Storage

Storage


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using CoraLite®594 S100A4 antibody (CL594-16105) at dilution of 1:200.



1X10^6 Jurkat cells were intracellularly stained with 0.8 ug CoraLite®594 Anti-Human S100A4 (CL594-16105) (red), or 0.8 ug Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



1X10^6 HeLa cells were intracellularly stained with 0.4 ug CoraLite®594 Anti-Human S100A4 (CL594-16105) (red), or 0.4 ug CoraLite®594-conjugated Rabbit 1gG control Rabbit PolyAb (CL594-30000, Clone:) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).