## For Research Use Only

## CoraLite®594-conjugated Vinculin Polyclonal antibody <sub>Catalog Number:CL594-26520</sub>





Basic Information	Catalog Number: CL594-26520	GenBank Accession Number: BC039174	Purification Method: Antigen affinity purification	
	Concentration: 1000 ug/ml	GenelD (NCBI): 7414	Recommended Dilutions: IF/ICC 1:50-1:500	
	Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG24942	UNIPROT ID: P18206 Full Name: vinculin	Excitation/Emission maxima wavelengths: 588 nm / 604 nm	
				Calculated MW: 1133 aa, 124 kDa
		Observed MW: 117 kDa		
		Applications	Tested Applications:	Tested Applications: Positive Controls:   IF/ICC IF/ICC : HepG2 cells, A549 cells, HUV   Species Specificity: human, mouse
Species Specificity:				
Background Information	involved in cell-matrix adhesion potentiates mechanosensing by the locomotion. Vinculin is a 117-kDa	Vinculin belongs to the vinculin/alpha-catenin family. It is an actin filament (F-actin)-binding protein which involved in cell-matrix adhesion and cell-cell adhesion. Vinculin regulates cell-surface E-cadherin expression and potentiates mechanosensing by the E-cadherin complex. It may also play important roles in cell morphology and locomotion. Vinculin is a 117-kDa, 1,066-amino-acid protein which is ubiquitously expressed. Its splice variant, metavinculin (124 kDa), is muscle-specific.		
Storage	Storage: Store at -20°C. Avoid exposure to Storage Buffer: PBS with 50% Glycerol, 0.05% Pro	light. Stable for one year after shipme oclin300, 0.5% BSA, pH 7.3.	nt.	

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Immunofluorescent analysis of (4% PFA) fixed A549 cells using CoraLite®594 Vinculin antibody (CL594-26520) at dilution of 1:200, CL488phalloidin (green). Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using CoraLite®594 Vinculin antibody (CL594-26520) at dilution of 1:200, CL488phalloidin (green).