For Research Use Only


CoraLite®594-conjugated NeuN Polyclonal antibody Catalog Number:CL594-26975 1 Publications




Basic Information	Catalog Number: CL594-26975	GenBank Accession Number NM_001082575		on Method: affinity purification
	Concentration: 1000 µg/ml	Genel D (NCBI): 146713	Recomm	Recommended Dilutions: IF-P: 1:50-1:500 FC (Intra): 0.40 ug per 10^6 cells in a
	Source: Rabbit	Full Name: hexaribonucleotide binding protein 3 Observed MW: 46-52 kDa	ng protein 3 100 µl su	
	lsotype: IgG			
	Immunogen Catalog Number: AG25689		Excitatio wavelen 588 nm /	
Applications	Tested Applications:	Positive Controls:		
	IF-P, FC (Intra) Cited Applications: IF	IF-P : mouse brain tissue, rat brain tissue		
		FC (Intra) : U-87 MG cells,		
	Species Specificity: human, mouse, rat, pig	FC : U-87 MG cells,		
	Cited Species: rat			
Background Information	NeuN, encoded by FOX3, is a neuro central and peripheral nervous sys differentiated neurons. Anti-NeuN types. The immunohistochemical in the cytoplasm. Several isoforms are 34/35 kDa, it was detected as o	stems, especially postmitotic a has been used widely as a reli staining is primarily localized s of NeuN exist due to the alter	nd differentiating ne able tool to detect m in the nucleus of the native splicing. Altho	urons, as well as terminally ost postmitotic neuronal cel neurons with lighter staining
		Pubmed ID Journal		Application
Notable Publications	Author F			
Notable Publications		39415414 Mol Pain		IF

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using CoraLite®594 NeuN antibody (CL594-26975) at dilution of 1:200.



1X10^6 U-87 MG cells were intracellularly stained with 0.4 ug Coralite®594 Anti-Human NeuN (CL594-26975) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).