For Research Use Only

## CoraLite®594-conjugated Galectin-3 Monoclonal antibody



Catalog Number: CL594-60207

Featured Product

**Basic Information** 

Catalog Number: GenBank Accession Number: Purification Method: CL594-60207 BC001120 Protein A purification

 Size:
 GeneID (NCBI):
 CloneNo.:

 1000 μ g/ml
 3958
 1C1B2

 Source:
 UNIPROT ID:
 Recommended Dilutions:

 Mouse
 P17931
 IF-P 1:50-1:500

 Isotype:
 Full Name:
 IF/ICC 1:50-1:500

IgG2b lectin, galactoside-binding, soluble, 3 Excitation/Emission maxima

Immunogen Catalog Number: Calculated MW: wavelengths: 588 nm / 604 nm

**Applications** 

Tested Applications:

IF/ICC, IF-P, FC (Intra)

Positive Controls:

IF-P: human thyroid cancer tissue,

Species Specificity: IF/ICC : HeLa cells, human, mouse, rat

**Background Information** 

Galectins are a family of animal lectins defined by shared characteristic amino-acid sequences and affinity for  $\beta$  -galactose-containing oligosac-charides (PMID: 8063692). Galectin-3, a member of the  $\beta$  -galactoside-binding proteins, contains one carbohydrate recognition domain (CRD) and a proline- and glycine-rich N-terminal domain through which is able to form oligomers (PMID: 14758078). Galectin-3 is widely expressed in many normal tissues and a variety of tumors. It is found intracellularly in nucleus and cytoplasm or secreted outside of cell, being present on the cell surface or in the extracellular space (PMID: 16478649). Galectin-3 is involved in various biological processes including cell growth, adhesion, differentiation, apoptosis, angiogenesis, immune response, neoplastic transformation and metastasis (PMID: 16478649; 14758078).

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Immunofluorescent analysis of (4% PFA) fixed human thyroid cancer tissue using Coralite®594 Galectin-3 antibody (CL594-60207, Clone: 1C1B2) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed human thyroid cancer tissue using Coralite®594 Galectin-3 antibody (CL594-60207, Clone: 1C1B2) at dilution of 1:200.



1X10^6 HeLa cells were intracellularly stained with 0.4 ug CoraLite®594 Anti-Human Galectin-3 (CL594-60207, Clone:1C1B2) (red), or 0.4 ug Mouse IgG2b Isotype Control (CL594-66360-3, Clone: K11B8C4B5) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using CoraLite®594 Galectin-3 antibody (CL594-60207, Clone: 1C1B2) at dilution of 1:200.