For Research Use Only

CoraLite®594-conjugated PGRMC2 Monoclonal antibody

Catalog Number: CL594-60249

Featured Product

Basic Information

CL594-60249 Size: 1000 µ g/ml Source: Mouse Isotype: IgG2a Immunogen Catalog Number: AG20077

Catalog Number:

GenBank Accession Number: BC016692 GeneID (NCBI): 10424 UNIPROT ID: 015173 Full Name: progesterone receptor membrane component 2 Calculated MW: 223 aa, 24 kDa Observed MW: 24+28 kDa

Purification Method: Protein A purification CloneNo.: 5F10D7 Recommended Dilutions: IF-P 1:50-1:500 Excitation/Emission maxima wavelengths: 588 nm / 604 nm

Applications

Tested Applications: IF-P, FC (Intra) Species Specificity: human, mouse

Positive Controls:

IF-P: human cervical cancer tissue,

Background Information

Membrane-associated progesterone receptor component 2 (PGRMC2), also known as DG6 or PMBP, belongs to the cytochrome b5 family. This protein might play a role in cancer. The gene of PGRMC2 maps to chromosome 4q26, and encodes a 223-amino acid single-pass membrane protein with a cytochrome b5 heme-binding domain in its cytoplasmic domain. PGRMC2 has a calculated molecular weight of 24 kDa. The band of about 28 kDa detected by this monoclonal antibody is unknown but may represent phosphorylated form of PGRMC2 (PMID: 28104494).

Storage


Storage: Store at -20°C. Avoid exposure to light. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.




Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed human cervical cancer tissue using CoraLite®594 PGRMC2 antibody (CL594-60249, Clone: 5F10D7) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed human cervical cancer tissue using CoraLite®594 PGRMC2 antibody (CL594-60249, Clone: 5F10D7) at dilution of 1:200.



1X10^6 HepG2 cells were intracellularly stained with 0.4 ug CoraLite®594 Anti-Human PGRMC2 (CL594-60249, Clone:5F10D7) (red), or 0.4 ug CoraLite®594 Mouse IgG2a Isotype Control (C1.18.4) (CL594-65208, Clone: C1.18.4) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).