For Research Use Only

CoraLite®594 Anti-Mouse CD107b / LAMP2 (ABL-93)

Catalog Number:CL594-65052

1 Publications





Basic Information	Catalog Number: CL594-65052	GenBank Accession Number: BC 138718	Purification Method: Affinity purification
	Concentration: 100ug, 500 µg/ml	GeneID (NCBI): 16784	CloneNo.: ABL-93
	Source: Rat	UNIPROT ID: P17047	Recommended Dilutions: IF/ICC 1:50-1:500
	Isotype: IgG2a, kappa	Full Name: lysosomal-associated membrane protein 2	Excitation/Emission maxima wavelengths: 588 nm / 604 nm
Applications	Tested Applications: IF/ICC, FC (Intra)	Positive Controls: IF/ICC : NIH/3T3 cells,	
	Cited Applications: IF		
	Species Specificity: Mouse		
	Cited Species: mouse		
Background Information	LAMP2 (CD107b) is a Lysosomal membrane glycoprotein. LAMP2 is extensively glycosylated with asparagine- linked oligosaccharides which protect it from intracellular proteolysis (PMID: 10521503). Although LAMP-2 is localized primarily in the endosome-lysosomal membrane of cells, it is also found on the plasma membrane unde certain circumstances, e.g., after platelet activation, during granulocytic differentiation and activation, and in som tumor cells (PMID: 12221139). LAMP is involved in lysosomal stability and autophagy (PMID: 12221139). This glycoprotein provides selectins with carbohydrate ligands. LAMP2 may plays a role in tumor cell metastasis (PMID 9426697).		
	certain circumstances, e.g., a tumor cells (PMID: 1222113 glycoprotein provides selec	9). LAMP is involved in lysosomal stability and	l autophagy (PMID: 12221139). This
Notable Publications	certain circumstances, e.g., a tumor cells (PMID: 1222113 glycoprotein provides selec	9). LAMP is involved in lysosomal stability and	l autophagy (PMID: 12221139). This

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1X10^6 NIH/3T3 cells were intracellularly stained with 0.5 ug CoraLite®594 Anti-Mouse CD107b / LAMP2 (CL594-65052, Clone: ABL-93) (red), or 0.5 ug CoraLite®594 Rat IgG2a Isotype Control (2A3) (CL594-65209, Clone: 2A3) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).

Immunofluorescent analysis of (-20°C Methanol) fixed NIH/3T3 cells using CoraLite®594 CD107b antibody (CL594-65052, Clone: ABL-93) at dilution of 1:100.