For Research Use Only

## CoraLite®594 Anti-Human CD16 (3G8)

Catalog Number: CL594-65090



**Purification Method:** 

Affinity purification

Excitation/Emission maxima

CloneNo.:

wavelengths: 588 nm / 604 nm

**Basic Information** 

Catalog Number:

CL594-65090

Size:

Mouse

100tests, 5 ul/test

Source:

Isotype:

lgG1, kappa

2214

GenBank Accession Number: BC017865

GeneID (NCBI):

ENSEMBL Gene ID: ENSG00000203747

Full Name:

Fc fragment of IgG, low affinity IIIa, receptor (CD16a)

Calculated MW: 254 aa, 29 kDa

**Applications** 

**Tested Applications:** 

FC

Species Specificity:

human

**Background Information** 

CD16 is a 50-70-kDa low affinity Fc receptor found on the surface of natural killer cells, neutrophil polymorphonuclear leukocytes, monocytes and macrophages. CD16 mediates antibody-dependent cellular cytotoxicity (ADCC) and other antibody-dependent responses, such as phagocytosis. CD16 has been identified as Fc receptors Fc  $\gamma$  RIIIa (CD16a) and Fc  $\gamma$  RIIIb (CD16b), encoded by two nearly identical genes, FCGR3A and the FCGR3B. Clone 3G8 recognizes both the CD16a and CD16b (PMID: 7592758).


Storage

Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer.

PBS with 0.09% sodium azide and 0.5% BSA.

## Selected Validation Data



1x10^6 human PBMCs were surface stained with CL750 Anti-Human CD3 (CL750-65151) and 5 ul CoraLite® 594 Anti-Human CD16 (CL594-65090, Clone:3G8) or CoraLite® 594 Mouse IgG1 Isotype Control (CL594-65124. Cells were not fixed. Lymphocytes were gated.



1x10^6 human PBMCs were surface stained with 5 ul CoraLite®594 Anti-Human CD16 (CL594-65090, Clone:3G8) or CoraLite®594 Mouse IgG1 Isotype Control (CL594-65124. Cells were not fixed. Lymphocytes were gated.