For Research Use Only

CoraLite®594 Anti-Human CD79a (HM57) Mouse IgG2a Recombinant Antibody



Catalog Number: CL594-65610

Basic Information

 Catalog Number:
 GenBank Accession Number:
 Purification Method:

 CL594-65610
 BC113731
 Protein A purification

 Concentration:
 GeneID (NCBI):
 CloneNo.:

100tests, 5 ul/test 973 HM57

Source: UNIPROT ID: Recommended Dilutions:

Mouse P11912 FC (Intra): 5 ul per 10^6 cells in a 100

Isotype: Full Name: µl suspension

IgG2a CD79a molecule, immunoglobulin- Excitation/Emission maxima

associated alpha wavelengths: 588 nm / 604 nm

Applications

Tested Applications: Positive FC (Intra)

Species Specificity:

human

Positive Controls:

FC (Intra): human PBMCs,

Background Information

CD79a, also named as B-cell antigen receptor complex-associated protein alpha chain or MB-1 membrane glycoprotein, is a 226 amino acid protein, which contains one ITAM domain and one Ig-like C2-type (immunoglobulin-like) domain. CD79a is expressed in B cell and localizes in the cell membrane. CD79a is required in cooperation with CD79b for initiation of the signal transduction cascade activated by binding of antigen to the B-cell antigen receptor complex (BCR) which leads to internalization of the complex, trafficking to late endosomes and antigen presentation. CD79a is also required for BCR surface expression and for efficient differentiation of pro-and pre-B-cells.

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


torage Buffer

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 human PBMCs were intracellularly stained with 5 ul CoraLite®594 Anti-Human CD79a (HM57) Mouse IgG2a RecAb (CL594-65610, Clone: HM57) or CoraLite®594 Mouse IgG2a Isotype Control (C1.18.4) (CL594-65208, Clone: C1.18.4). Cells were co-stained with CoraLite® Plus 488 Anti-Human CD19. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



1x10^6 human PBMCs were intracellularly stained with 5 ul Coralite®594 Anti-Human CD79a (HM57) Mouse IgG2a RecAb (CL594-65610, Clone: HM57) (red) or Coralite®594 Mouse IgG2a Isotype Control (C1.18.4) (CL594-65208, Clone: C1.18.4) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).