For Research Use Only

CoraLite®594-conjugated PGC1a Monoclonal antibody




Catalog Number:CL594-66369 Featured Product


Basic Information	Catalog Number: CL594-66369	GenBank Accession Number: NM_013261	Purification Method: Protein G purification
	Size: 1000 µg/ml	GenelD (NCBI): 10891	CloneNo.: 1C1B2
	Source: Mouse	UNIPROT ID: Q9UBK2	Recommended Dilutions: IF/ICC 1:50-1:500
	Isotype: IgG1	Full Name: peroxisome proliferator-activated receptor gamma, coactivator 1 alpha	Excitation/Emission maxima wavelengths: a 588 nm / 604 nm
		Calculated MW: 91 kDa	
Applications	Tested Applications: IF/ICC, FC (Intra)	Positive Controls:	
	Species Specificity: human	IF/ICC : HeLa	IF/ICC : HeLa cells,
Background Information	PPARGC 1A, also named as Peroxisome proliferator-activated receptor gamma coactivator 1-alpha, is a 798 amino acid protein, which Contains 1 RRM (RNA recognition motif) domain and localizes in the nucleus. PPARGC 1A is transcriptional coactivator for steroid receptors and nuclear receptors. PPARGC 1A can regulate key mitochondrial genes that contribute to the program of adaptive thermogenesis and plays an essential role in metabolic reprogramming in response to dietary availability through coordination of the expression of a wide array of genes involved in glucose and fatty acid metabolism. PPARGC 1A exists a isoforms in the liver and the molecular weight of it is 77 kDa. Except for a deletion of 127 amino acids at the N terminus, the protein, termed L-PGC-1 a, is identical to PGC-1.		
Storage	Storage: Store at -20°C. Avoid exposu Storage Buffer: PBS with 50% Glycerol, 0.05° Aliquoting is unnecessary for	% Proclin300, 0.5% BSA, pH 7.3.	

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using CoraLite®594 PGC 1a antibody (CL594-66369, Clone: 1C1B2) at dilution of 1:100.



1X10⁶ HeLa cells were intracellularly stained with 0.2 ug CoraLite®594 Anti-Human PGC1a (CL594-66369, Clone:1C1B2) (red), or 0.2 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).