For Research Use Only

CoraLite® Plus 594-conjugated PGAM1 Monoclonal antibody



Purification Method:

CloneNo.:

2H2A9

Protein G purification

Recommended Dilutions:

Excitation/Emission maxima

IF/ICC 1:50-1:500

wavelengths: 594 nm / 615 nm

Catalog Number: CL594-67470

Featured Product

Basic Information

Catalog Number: CL594-67470

Size: 1000 µg/ml Source: Mouse Isotype:

Immunogen Catalog Number:

AG9250

lgG1

Species Specificity:

Tested Applications: IF/ICC

Human, Mouse, Rat

GenBank Accession Number:

BC011678 GeneID (NCBI): 5223

UNIPROT ID:

Observed MW: 29 kDa

P18669 Full Name:

phosphoglycerate mutase 1 (brain)

Calculated MW: 254 aa, 29 kDa

Positive Controls:

IF/ICC: HepG2 cells,

Background Information

PGAM1(phosphoglycerate mutase 1) is also named as PGAMA, PGAM-B and belongs to the phosphoglycerate mutase family. Phosphoglycerate mutase is widely distributed in mammalian tissues where it catalyzes the reversible reaction of 3-phosphoglycerate (3-PGA) to 2-phosphoglycerate (2-PGA) in the glycolytic pathway. The homodimer PGAM1 is expressed mainly in liver, kidney, brain and overexpressed in a variety of human cancers, including breast carcinoma, colorectal cancer, lung cancer, prostate cancer, oral squamous cell carcinoma, esophageal squamous cell carcinomas and also associated with certain virus infection. PGAM1 could be developed as a useful diagnostic biomarker, as well as a potential therapeutic target for hepatocellular carcinoma (PMID:20403181). This antibody may also recognize PGAM2 and PGAM4 due to the high homology.

Storage


Applications

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using CoraLite® Plus 594 PGAM1 antibody (CL594-67470, Clone: 2H2A9) at dilution of 1:200.