For Research Use Only

CoraLite®594-conjugated P21 Recombinant antibody

www.ptglab.com

Purification Method:

Catalog Number: CL594-82669-2

Basic Information

Catalog Number: GenBank Accession Number: CL594-82669-2 BC000275

Protein A purification GeneID (NCBI): Concentration: CloneNo.: 1026 3N14

UNIPROT ID: Recommended Dilutions: Source: Rabbit P38936 IF/ICC: 1:50-1:500

Full Name: Excitation/Emission maxima Isotype:

cyclin-dependent kinase inhibitor 1A wavelengths: 588 nm / 604 nm (p21, Cip1)

21 kDa

Immunogen Catalog Number: AG0368 Calculated MW:

18 kDa Observed MW:

Applications

Tested Applications:

Species Specificity:

1000 ug/ml

Positive Controls:

IF/ICC: MCF-7 cells,

Background Information

CDKN1A (p21, CIP1, WAF1) is a cyclin-dependent kinase inhibitor. CDKN1A binds to and inhibits the activity of $cyclin-CDK2 \ or \ -CDK4 \ complexes, and thus functions \ as \ a \ regulator \ of \ cell \ cycle \ progression \ at \ the \ G1 \ phase. The$ expression of CDKN1A is induced by wild-type but not mutant p53 protein, through which CDKN1A mediates the p53-dependent cell cycle G1 phase arrest in response to a variety of stress stimuli. CDKN1A can interact with proliferating cell nuclear antigen (PCNA), and plays a regulatory role in S phase DNA replication and DNA damage repair. CDKN1A was reported to be specifically cleaved by CASP3-like caspases, which thus leads to a dramatic $activation \ of \ CDK2, and \ may \ be \ instrumental \ in \ the \ execution \ of \ apoptosis \ following \ caspase \ activation. \ Two$ alternatively spliced variants, which encode an identical protein, have been reported.

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed MCF-7 cells using Coralite®594 P21 antibody (CL594-82669-2, Clone: 3N14) at dilution of 1:200.