For Research Use Only

CoraLite®594 Anti-Mouse IFN-gamma Rabbit Recombinant Antibody

www.ptglab.com

Catalog Number: CL594-98045

Basic Information

Catalog Number: GenBank Accession Number: CL594-98045 BC119063

GeneID (NCBI): Concentration: 100ug, 500 ug/ml 15978 **UNIPROT ID:** Source:

Rabbit P01580 FC (Intra): 0.25 ug per 10^6 cells in a 100 µl suspension Isotype: Full Name:

interferon gamma Excitation/Emission maxima wavelengths: Calculated MW:

Immunogen Catalog Number: 17 kDa

Positive Controls:

FC (Intra): PMA, Ionomycin and Brefeldin A treated

588 nm / 604 nm

Purification Method:

Protein A purification

Recommended Dilutions:

CloneNo.:

240262C9

C57BL/6 Th1-polarized splenocytes,

Applications

Tested Applications: FC (Intra)

Species Specificity:

mouse

Background Information

Interferon gamma (IFN γ), is a type II interferon that provides immunity against bacterial, viral and protozoan infections. In its active form, IFN γ is a glycosylated, non-covalently linked homodimer of 29-32 kDa subunits. It is produced by a number of immune cell types including natural killer cells, natural killer T cells, and effector lymphocyte T cells following antigenic and inflammatory triggers. The IFN γ dimer binds to its cognate receptor which has two subunits: IFN- γ R1 which is the ligand-binding chain (α chain) and IFN- γ R2, the signal-transducing chain (β chain). Binding to the receptor activates the JAK/STAT pathway which in turn activates IFN γ responsive genes. While IFN γ can inhibit viral replication, it also works as an immune-modulator and immune-stimulator by increasing surface expression of class I MHC proteins. (PMID: 19268625; 10688427)


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide, pH7.3

Selected Validation Data



1x10^6 untreated or PMA, Ionomycin and Brefeldin A treated C57BL/6 Th1-polarized splenocytes were intracellularly stained with CoraLite® Plus 647 Anti-Mouse CD4 and 0.25 ug CoraLite® 594 Anti-Mouse IFN-gamma Rabbit Recombinant Antibody (CL594-98045, Clone: 240262C9). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer.



CL594-98045(IFN-gamma),ECD-A

1x10^6 PMA, Ionomycin and Brefeldin A treated C57BL/6 Th1-polarized splenocytes were intracellularly stained with 0.25 ug CoraLite® 594 Anti-Mouse IFN-gamma Rabbit Recombinant Antibody (CL594-98045, Clone: 240262C9) (red) or 0.25 ug Isotype Control (blue). 1x10^6 untreated C57BL/6 Th1-polarized splenocytes were intracellularly stained with 0.25 ug CoraLite® 594 Anti-Mouse IFN-gamma Rabbit Recombinant Antibody (CL594-98045, Clone: 240262C9)



