For Research Use Only

## CoraLite®594 Anti-Mouse CD79a Rabbit Recombinant Antibody

Catalog Number: CL594-98129



**Basic Information** 

Catalog Number: CL594-98129 Concentration: 100ug, 500 ug/ml

**UNIPROT ID:** Source: Rabbit P11911 Full Name: Isotype: CD79A antigen (immunoglobulin-

Immunogen Catalog Number:

EG1388

associated alpha) Calculated MW:

GenBank Accession Number:

NM\_007655.3

GeneID (NCBI):

12518

25 kDa

**Purification Method:** Protein A purification

CloneNo.:

241231F7

Recommended Dilutions:

FC (Intra): 0.25 ug per 10^6 cells in

100 µl suspension

Excitation/Emission maxima

wavelengths: 588 nm / 604 nm

**Applications** 

**Tested Applications:** FC (Intra)

Species Specificity:

mouse

Positive Controls:

FC (Intra): mouse splenocytes,

## **Background Information**

CD79a, also named as B-cell antigen receptor complex-associated protein alpha chain or MB-1 membrane glycoprotein, is a 226 amino acid protein, which contains one ITAM domain and one Ig-like C2-type (immunoglobulin-like) domain. CD79A is expressed in B cell and localizes in the cell membrane. CD79A is required in cooperation with CD79B for initiation of the signal transduction cascade activated by binding of antigen to the Bcell antigen receptor complex (BCR) which leads to internalization of the complex, trafficking to late endosomes and antigen presentation. CD79A is also required for BCR surface expression and for efficient differentiation of proand pre-B-cells.


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide, pH7.3

## **Selected Validation Data**



1x10^6 mouse splenocytes were intracellularly stained with 0.25 ug CoraLite®594 Anti-Mouse CD79a Rabbit RecAb (CL594-98129, Clone:241231F7) or 0.25 ug CoraLite®594 Rabbit IgG Isotype Control RecAb (CL594-98136, Clone: 240953C9). Cells were co-stained with CoraLite® Plus 647 Anti-Mouse CD45R (B220) (RA3-6B2) (CL647-65139, Clone: RA3-6B2). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



1x10^6 mouse splenocytes were intracellularly stained with 0.25 ug Coralite®594 Anti-Mouse CD79a Rabbit RecAb (CL594-98129, Clone: 241231F7)(red) or Coralite®594 Rabbit IgG Isotype Control RecAb (CL594-98136, Clone: 240953C9) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).