For Research Use Only

CoraLite®594 Anti-Mouse CD80 Rabbit Recombinant Antibody

Catalog Number: CL594-98158



Basic Information

Catalog Number: CL594-98158

Concentration: 100ug, 500 ug/ml

Source:

Rabbit

Isotype:

NM_009855.2 GeneID (NCBI): 12519

GenBank Accession Number:

UNIPROT ID: Q00609-1

Full Name: CD80 antigen Calculated MW:

Immunogen Catalog Number: EG0840 35 kDa

Purification Method:

Protein A purification CloneNo.:

241371E12

Recommended Dilutions:

FC: 0.25 ug per 10^6 cells in a 100 μ l

suspension

Excitation/Emission maxima

wavelengths: 588 nm / 604 nm

Applications

Tested Applications:

Species Specificity:

mouse

Positive Controls:

FC: mouse peritoneal macrophages,

Background Information

CD80 (also known as B7-1) is a type I membrane protein that is a member of the immunoglobulin superfamily, with an extracellular immunoglobulin constant-like domain and a variable-like domain required for receptor binding. It is expressed on antigen-presenting cells (APCs), including B cells, dendritic cells, monocytes, and macrophages. CD80 is the receptor for the proteins CD28 and CTLA-4 found on the surface of T-cells. It is involved in the $costimulatory\ signal\ essential\ for\ T-lymphocyte\ activation.\ T-cell\ proliferation\ and\ cytokine\ production\ is\ induced$ by the binding of CD28, binding to CTLA-4 has opposite effects and inhibits T-cell activation. CD80 also acts as a cellular attachment receptor for adenovirus subgroup B. (PMID: 7545666; 12015893; 16920215)


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide, pH7.3

Selected Validation Data



1x10^6 mouse peritoneal macrophages were surface stained with 0.25 ug CoraLite®594 Anti-Mouse CD80 Rabbit RecAb (CL594-98158, Clone: 241371E12) or CoraLite®594 Rabbit IgG Isotype Control RecAb (CL594-98136, Clone: 240953C9). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.



1x10^6 mouse peritoneal macrophages were surface stained with 0.25 ug Coralite®594 Anti-Mouse CD80 Rabbit RecAb (CL594-98158, Clone: 241371E12) (red) or Coralite®594 Rabbit IgG Isotype Control RecAb (CL594-98136, Clone: 240953C9) (blue). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.