For Research Use Only

CoraLite®594 Anti-Human IL-23R Rabbit Recombinant Antibody

Catalog Number: CL594-98180




Basic Information	Catalog Number: CL594-98180	GenBank Accession Number: NM_144701.3	Purification Method: Protein A purification
	Concentration: 100tests, 5 ul/test	GeneID (NCBI): 149233	CloneNo.: 240905B5
	Source: Rabbit Isotype: IgG	UNIPROT ID: Q5VWK5-1 Full Name: interleukin 23 receptor	Excitation/Emission maxima wavelengths: 588 nm / 604 nm
		Applications	
Species Specificity: human			
Background Information	Interleukin-23 receptor (IL-23R) is a type I cytokine receptor that plays a critical role in immune responses and inflammation. It forms a receptor complex with IL-12R β 1 and is activated by the cytokine IL-23, which is primarily produced by dendritic cells and activated macrophages (PMID: 39796684). The genetic and epigenetic interactions in the IL-23R/IL-17 axis are associated with elevated expression of IL-17 and inflammatory bowel disease (IBD) pathogenesis (PMID: 21672939).		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide and 0.5% BSA.		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10^6 Transfected HEK-293T cells were stained with 0.25 ug CoraLite®594 Anti-Human IL-23R Rabbit RecAb (CL594-98180, Clone:240905B5)(red), or 0.25 ug CoraLite®594 Rabbit IgG Isotype Control RecAb (CL594-98136, Clone: 240953C9) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). 1x10^{^6} Transfected HEK-293T cells were stained with 0.25 ug CoraLite®594 Anti-Human IL-23R Rabbit RecAb (CL594-98180, Clone:240905B5)(red), or 0.25 ug CoraLite®594 Rabbit IgG Isotype Control RecAb (CL594-98136, Clone: 240953C9) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).