For Research Use Only

CoraLite® Plus 647-conjugated C1QBP Polyclonal antibody

Catalog Number:CL647-24474

Featured Product

Basic Information

CL647-24474 Size: 1000 µ g/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG19773

Catalog Number:

GenBank Accession Number: BC013731 GeneID (NCBI): 708 UNIPROT ID: Q07021

Full Name: complement component 1, q subcomponent binding protein Calculated MW: 282 aa, 31 kDa Observed MW: 32 kDa

Purification Method: Antigen affinity purification Excitation/Emission maxima wavelengths: 654 nm / 674 nm

Applications

Tested Applications: FC (Intra) Species Specificity: human, mouse, rat

Background Information

C1QBP, also named as gC1q receptor (gC1qR), p32, p33, and hyaluronan-binding protein 1 (HABP1), is a protein initially copurified with splicing factor SF2 (PMID: 1830244). The protein is synthesized as a pro-protein of 282 amino acids (aa) that is post-translationally processed by removal of the initial 73 aa to a mature protein of 209 aa (PMID: 8262387). C1QBP is an evolutionary conserved and ubiquitously expressed multifunctional protein and has been reported to be a predominantly mitochondrial matrix protein involved in inflammation and infection processes, mitochondrial ribosome biogenesis, regulation of apoptosis and nuclear transcription, and pre-mRNA splicing (PMID: 28942965).

Storage

Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage


 For technical support and original validation data for this product please contact:

 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.



Selected Validation Data



1X10^6 HeLa cells were intracellularly stained with 0.2 ug CoraLite® Plus 647 Anti-Human C1QBP (CL647-24474) (red), or 0.2 ug Control Antibody (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).