For Research Use Only

CoraLite® Plus 647 Anti-Mouse CD44 (IM7)



Purification Method:

Affinity purification

654 nm / 674 nm

Catalog Number: CL647-65117

Basic Information Catalog Number:

CL647-65117

100ug, 0.5 mg/ml

BC051388 GeneID (NCBI): 12505

O (NCBI): CloneNo.: IM7

Source: UNIPROT ID: Recommended Dilutions: P15379 IF/ICC 1:50-1:500

Isotype:Full Name:Excitation/Emission maximaIgG2b, kappaCD44 antigenwavelengths:

GenBank Accession Number:

Applications

Tested Applications:

IF/ICC, FC

Species Specificity:

Mouse

Positive Controls:

IF/ICC: mouse splenocytes,

Background Information

CD44 is a type I transmembrane glycoprotein expressed on embryonic stem cells and in various levels on other cell types including connective tissues and bone marrow. CD44 expression is also upregulated in subpopulations of cancer cells and is recognized as a molecular marker for cancer stem cells (PMID: 29747682). It is a cell-surface receptor that mediates cell-cell and cell-matrix interactions through its affinity for hyaluronic acid (HA) and possibly also through its affinity for other ligands (PMID: 10694938). Adhesion with HA plays an important role in cell migration, tumor growth and progression. CD44 is also involved in lymphocyte activation, recirculation and homing, and in hematopoiesis.

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.1% sodium azide and 0.5% BSA, pH 7.3.

Selected Validation Data



1X10^6 mouse splenocytes were surface stained with FITC Anti-Mouse CD3 (FITC-65077, Clone: 17A2) and 1 ug Coralite® Plus 647 Anti-Mouse CD44 (CL647-65117, Clone: IM7) or Coralite® Plus 647-Conjugated rat IgG2b isotype control. Cells were not fixed.



Immunofluorescent analysis of mouse splenocytes using CoraLite® Plus 647 CD44 antibody (CL647-65117, Clone: IM7) at dilution of 1:100.