For Research Use Only

CoraLite® Plus 647 Anti-Human CD64 (10.1)



Catalog Number: CL647-65253

Basic Information

Catalog Number:

CL647-65253

Size:

100tests, 5 $\,\mu$ l/test

Source: Mouse

Isotype: IgG1, kappa

374 aa, 43 kDa

GenBank Accession Number:

BC032634 GeneID (NCBI):

2209

ENSEMBL Gene ID: ENSG00000150337

UNIPROT ID: P12314 Full Name:

Fc fragment of IgG, high affinity Ia,

receptor (CD64) Calculated MW: **Purification Method:**

Affinity purification CloneNo.:

Excitation/Emission maxima wavelengths:

654 nm / 674 nm

Applications

Tested Applications:

Species Specificity:

Human

Background Information

Fc γ receptor comprise a multigene family of integral membrane glycoproteins that exhibit complex activation or $inhibitory\ effects\ on\ cell\ functions\ after\ aggregation\ by\ complexed\ immunoglobulin\ G\ (IgG)\ (PMID:\ 17005690\).$ CD64, also known as Fc γ RIA, is a high-affinity receptor for the Fc region of IgG. It is expressed by monocytes/macrophages, activated neutrophils, dendritic cells, and early myeloid cells (PMID: 23293080; 19642859; 7680917). CD64 functions in both innate and adaptive immune responses.


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface stained with 5 ul Coralite® Plus 647 Anti-Human CD64 (CL647-65253, Clone:10.1) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Coralite® Plus 647 Anti-Human CD64 (Cl.647-65253, Clone:10.1) or unstained. Cells were not fixed. Monocytes were gated.