## CoraLite® Plus 647-conjugated Cytokeratin 7 Monoclonal antibody




Catalog Number:CL647-66483 Featured Product

Basic Information	Catalog Number: CL647-66483	GenBank Accession Number: BC002700	Purification Method: Protein A purification			
	Size: 1 mg/mL	GenelD (NCBI): 3855	CloneNo.: 2E1G5			
	Source: Mouse Isotype: IgG2a Immunogen Catalog Number: AG7895	UNIPROT ID: P08729 Full Name: keratin 7 Calculated MW: 469 aa, 51 kDa	Excitation/Emission maxima wavelengths: 654 nm / 674 nm			
				Observed MW: 51 kDa		
				Applications	Tested Applications: FC (Intra)	
		Species Specificity: human				
Background Information	are classified into two major sequincluding K9-K23, and the hair ker type I keratins, including K1-K8, a type II basic cytokeratin. It is speciand in the gland ducts and blood	Keratins are a large family of proteins that form the intermediate filament cytoskeleton of epithelial cells, which are classified into two major sequence types. Type I keratins are a group of acidic intermediate filament proteins, including K9-K23, and the hair keratins Ha1-Ha8. Type II keratins are the basic or neutral courterparts to the acidic type I keratins, including K1-K8, and the hair keratins, Hb1-Hb6. KRT7, also named as cytokeratin 7, is one member of type II basic cytokeratin. It is specifically expressed in the simple epithelia lining the cavities of the internal organs and in the gland ducts and blood vessels, and their neoplasms. KRT7 is marker of epithelial tissues, but not present in carcinomas of stratified squamous cell origin. This antibody is specifically against KRT7.				
Storage	Storage: Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage					

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1X10^6 HeLa cells were intracellularly stained with 0.8 ug CoraLite® Plus 647 Anti-Human Cytokeratin 7 (CL647-66483, Clone:2E1G5) (red), or 0.8 ug CoraLite® Plus 647 Mouse IgG2a Isotype Control (C1.18.4) (CL647-65208, Clone: C1.18.4) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).