For Research Use Only

## CoraLite® Plus 647-conjugated SUMO2/3 Monoclonal antibody



Catalog Number: CL647-67154

**Featured Product** 

**Basic Information** 

Catalog Number: CL647-67154

1000 µg/ml Source: Mouse

lgG2b Immunogen Catalog Number:

AG28672

Isotype:

Human, Mouse, Rat

GenBank Accession Number:

BC008450 GeneID (NCBI):

**UNIPROT ID:** P61956

Observed MW: 18 kDa

6613

Full Name: SMT3 suppressor of mif two 3

Calculated MW: 11 kDa

homolog 2 (S. cerevisiae)

**Purification Method:** Protein A purification

CloneNo.: 1A 1B3

Excitation/Emission maxima

wavelengths: 654 nm / 674 nm

**Applications** 

**Tested Applications:** 

FC (Intra)

Species Specificity:

## **Background Information**

Ubiquitin is most famous for its function in targeting proteins for degradation by the 26S proteasome, ubiquitin needs to be attached to a substrate in chains (polyubiquitylation) before being recognized by proteasome. Similarly, SUMO (small ubiquitin-related modifier) can be linked to substrates in chains (polysumoylation), SUMO modification has been implicated in many important cellular processes including the control of genome stability, signal transduction, targeting to and formation of nuclear compartments, cell cycle and meiosis. There are 4 confirmed SUMO isoforms in human, SUMO-1, SUMO-2, SUMO-3 and SUMO-4. SUMO-2 and SUMO-3 are nearly  $identical\ but\ are\ distinct\ from\ SUMO-1.\ SUMO2/3\ conjugation\ was\ recently\ widely\ involved\ in\ neuroprotective$ activities. A substitution (M55V) of SUMO 4 was strongly associated with the pathogenesis of type 1 diabetes (T1D) involving NF kappa B related mechanisms.


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



1X10^6 K-562 cells were intracellularly stained with 0.2 ug CoraLite® Plus 647 Anti-Human SUM02/3 (CL647-67154, Clone:1A1B3) (red), or 0.2 ug isotype control (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).