For Research Use Only

CoraLite® Plus 647-conjugated Phospho-AKT1 (Ser473) Recombinant antibody



Catalog Number: CL647-80462

Basic Information

Catalog Number: CL647-80462

1000 ug/ml Source:

Rabbit Isotype:

56-62 kDa

GenBank Accession Number:

NM_005163 GeneID (NCBI):

UNIPROT ID: P31749 Full Name:

v-akt murine thymoma viral oncogene homolog 1

Observed MW:

Purification Method:

Protein A purification

CloneNo.: 2M10

Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 654 nm / 674 nm

Applications

Tested Applications: IF/ICC, FC (Intra) Species Specificity: human, mouse

Positive Controls:

IF/ICC: Calyculin A treated HeLa cells,

Background Information

AKT is a serine/threonine kinase and it participates in the key role of the PI3K signaling pathway. $Phosphatidy linositol-3\ kinase\ (PI3K)\ is\ the\ key\ regulator\ of\ AKT\ activation.\ The\ recruitment\ of\ inactive\ AKT\ protein$ to PIP3-rich areas of the plasma membrane results in a conformational change that exposes the activation loop of AKT. AKT's activating kinase, phosphoinositide-dependent protein kinase (PDK1), is also recruited to PIP3 microdomains. PDK1 phosphorylates AKT on threonine 308 (Thr308) of the exposed activation loop, activating AKT and leading to a second phosphorylation of AKT at serine 473 (Ser473) by a kinase presumed to be mTORC2 that $further potentiates \ kinase \ activity. \ Active \ AKT \ will \ phosphory late \ various \ downstream \ protein \ targets \ that \ control$ cell growth and translational control and act to suppress apoptosis. (PMID: 31594388, PMID: 30808672). 80462-1-RR specifically recognizes AKT1 phosphorylated at Ser473.

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



1X10^6 NIH/3T3 cells untreated (dashed line) or treated with Calyculin A (red) were intracellularly stained with 0.13 ug CoraLite® Plus 647 Anti-Human Phospho-AKT1 (Ser473) (CL647-80462, Clone:2M10) (red), or 0.13 ug Control Antibody (Blue). Cells were fixed with 4% PFA and permeabilized with 90% MeOH.



Immunofluorescent analysis of (4% PFA) fixed Calyculin A treated HeLa cells using Coralite® Plus 647 Phospho-AKT1 (Ser473) antibody (CL647-80462, Clone: 2M10) at dilution of 1:200.