For Research Use Only

CoraLite® Plus 750 Anti-Human CD64 (10.1)



Purification Method:

Affinity purification

Excitation/Emission maxima

CloneNo.:

wavelengths: 755 nm / 780 nm

Catalog Number: CL750-65253

Basic Information

Catalog Number: CL750-65253

Size:

100tests, 5 $\,\mu$ l/test

Source: Mouse Isotype:

IgG1, kappa

374 aa, 43 kDa

GenBank Accession Number:

BC032634 GeneID (NCBI):

2209

ENSEMBL Gene ID: ENSG00000150337 **UNIPROT ID:**

P12314 Full Name:

Fc fragment of IgG, high affinity Ia,

receptor (CD64) Calculated MW:

Applications

Tested Applications:

Species Specificity:

Human

Background Information

Fc γ receptor comprise a multigene family of integral membrane glycoproteins that exhibit complex activation or $inhibitory\ effects\ on\ cell\ functions\ after\ aggregation\ by\ complexed\ immunoglobulin\ G\ (IgG)\ (PMID:\ 17005690\).$ CD64, also known as Fc γ RIA, is a high-affinity receptor for the Fc region of IgG. It is expressed by monocytes/macrophages, activated neutrophils, dendritic cells, and early myeloid cells (PMID: 23293080; 19642859; 7680917). CD64 functions in both innate and adaptive immune responses.


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 750 Anti-Human CD64 (CL750-65253, Clone:10.1). Cells were not fixed. Monocytes were gated.