

For Research Use Only

CoraLite® Plus 750 Anti-Mouse MHC Class II (I-A/I-E) (M5/114.15.2) Rat IgG2a Recombinant Antibody

Catalog Number: CL750-65663



Basic Information

Catalog Number: CL750-65663	GenBank Accession Number: BC031711	Purification Method: Protein A purification
Concentration: 100ug, 500 ug/ml	GeneID (NCBI): 14960	CloneNo.: M5/114.15.2
Source: Rat	UNIPROT ID: P14434	Recommended Dilutions: FC: 0.25 ug per 10 ⁶ cells in a 100 µl suspension
Isotype: IgG2a	Full Name: histocompatibility 2, class II antigen A, alpha	Excitation/Emission maxima wavelengths: 755 nm / 780 nm

Applications

Tested Applications: FC	Positive Controls: FC : mouse splenocytes,
Species Specificity: mouse	

Background Information

Major histocompatibility complex (MHC) class II molecules are heterodimeric transmembrane glycoproteins that are expressed on the surface of antigen-presenting cells such as dendritic cells, macrophages, and B cells. The M5/114.15.2 antibody detects polymorphic determinants present on B cells, monocytes, macrophages, dendritic cells, and activated T lymphocytes from mice carrying the H-2b, H-2d, H-2q, H-2p, H-2r and H-2u haplotypes but not from mice carrying the H-2s or H-2f haplotypes (PMID: 6170707). This antibody recognizes both I-A and I-E subregion-encoded Ia glycoproteins (I-Ab, I-Ad, I-Aq, I-Ed, I-Ek, not I-Af, I-Ak, or I-As). M5/114 antibody is reported to inhibit I-A subregion-restricted T cell responses of the H-2b, H-2d, H-2q, H-2u but not the H-2f, H-2k, H-2s haplotypes (PMID: 6173436).

Storage

Storage:
Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.
Storage Buffer:
PBS with 0.09% sodium azide, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10⁶ mouse splenocytes were surface stained with CoraLite® Plus 488 Anti-Mouse CD3, and 0.25 ug CoraLite® Plus 750 Anti-Mouse MHC Class II (I-A/I-E) (M5/114.15.2) Rat IgG2a RecAb (CL750-65663, Clone: M5/114.15.2) or CoraLite® Plus 750 Rat IgG2a Isotype Control (2A3) (CL750-65209, Clone: 2A3). Cells were not fixed.



1x10⁶ mouse splenocytes were surface stained with 0.25 ug CoraLite® Plus 750 Anti-Mouse MHC Class II (I-A/I-E) (M5/114.15.2) Rat IgG2a RecAb (CL750-65663, Clone: M5/114.15.2) (red) or CoraLite® Plus 750 Rat IgG2a Isotype Control (2A3) (CL750-65209, Clone: 2A3) (blue). Cells were not fixed.