

For Research Use Only

# CoraLite® Plus 750-conjugated TBP Monoclonal antibody

Catalog Number: CL750-66166



## Basic Information

Catalog Number: CL750-66166	GenBank Accession Number: BC110341	Purification Method: Protein A purification
Size: 1000 ug/ml	GeneID (NCBI): 6908	CloneNo.: 2H3B2
Source: Mouse	UNIPROT ID: P20226	Recommended Dilutions: WB 1:5000-1:50000
Isotype: IgG2a	Full Name: TATA box binding protein	Excitation/Emission maxima wavelengths: 755 nm / 780 nm
Immunogen Catalog Number: AG12383	Calculated MW: 338 aa, 38 kDa	
	Observed MW: mouse/rat 33-36 kDa and human 37-43kDa	

## Applications

Tested Applications: WB	Positive Controls: WB : HEK-293 cells, HepG2 cells, Jurkat cells
Species Specificity: human, mouse, rat, pig	

## Background Information

The TATA binding protein (TBP) is a transcription factor that binds specifically to a DNA sequence TATA box. This DNA sequence is found about 25-30 base pairs upstream of the transcription start site in some eukaryotic gene promoters. TBP, along with a variety of TBP-associated factors, make up the TFIID, a general transcription factor that in turn makes up part of the RNA polymerase II preinitiation complex. As one of the few proteins in the preinitiation complex that binds DNA in a sequence-specific manner, it helps position RNA polymerase II over the transcription start site of the gene. However, it is estimated that only 10-20% of human promoters have TATA boxes. Therefore, TBP is probably not the only protein involved in positioning RNA polymerase II. This antibody detects human TBP (~40 kDa) and mouse/rat Tbp (~35 kDa).

## Storage

**Storage:**  
Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


**Storage Buffer:**  
PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

**Aliquoting is unnecessary for -20°C storage**

For technical support and original validation data for this product please contact:  
T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with CL750-66166 (TBP antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.