## For Research Use Only

## CoraLite® Plus 750 Anti-Mouse CD68 Rabbit Recombinant Antibody

Catalog Number: CL750-98029





Basic Information	Catalog Number: CL750-98029	GenBank Accession Number: NM_001291058.1	Purification Method: Protein A purification
	Size: 100ug, 500 µg/ml	GenelD (NCBI): 12514	CloneNo.: 230504G5
	Source: Rabbit Isotype: IgG	UNIPROT ID: P31996-1 Full Name: CD68 antigen	Excitation/Emission maxima wavelengths: 755 nm / 780 nm
		Applications	
Species Specificity: mouse			
Background Information	Mouse CD68 (also known as macrosialin) is a type I transmembrane glycoprotein that is highly and specifically expressed by mouse tissue macrophages, and to a lesser extent by dendritic cells. It belongs to the lysosomal/endosomal-associated membrane glycoprotein (LAMP) family and primarily localizes to lysosomes and endosomes with a smaller fraction circulating to the cell surface. CD68 is also a member of the scavenger receptor family. It may play a role in phagocytic activities of tissue macrophages.		
Storage	Storage: Store at 2-8°C. Avoid exposu Storage Buffer: PBS with 0.09% sodium azid	re to light. Stable for one year after shipme e.	ent.

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## **Selected Validation Data**





1x10^6 mouse peritoneal macrophages were intracellularly stained with CoraLite® Plus 488 Anti-Mouse CD11b and 0.25 ug CoraLite® Plus 750 Anti-Mouse CD68 Rabbit Recombinant Antibody (CL750-98029, Clone:230504G5), or Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).

1x10<sup>^6</sup> mouse peritoneal macrophages were intracellularly stained with 0.25 ug CoraLite® Plus 750 Anti-Mouse CD68 Rabbit Recombinant Antibody (CL750-98029, Clone:230504G5)(rd), or Isotype Control(blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).