For Research Use Only

## CoraLite® Plus 750 Anti-Mouse IFN-gamma Rabbit Recombinant Antibody

Proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Catalog Number: CL750-98045

**Basic Information** 

Catalog Number: GenBank Accession Number: CL750-98045 BC119063

 Concentration:
 GeneID (NCBI):

 100ug, 500 ug/ml
 15978

 Source:
 UNIPROT ID:

 Rabbit
 P01580

Isotype: Full Name: IgG interferon gamma

Immunogen Catalog Number: Calculated MW: EG0334 17 kDa

Positive Controls:

FC (Intra): PMA, Ionomycin and Brefeldin A treated

**Purification Method:** 

Protein A purification

Recommended Dilutions:

Excitation/Emission maxima

100 μl suspension

wavelengths:

755 nm / 780 nm

FC (Intra): 0.25 ug per 10^6 cells in

CloneNo.:

240262C9

C57BL/6 Th1-polarized splenocytes,

**Applications** 

Tested Applications: FC (Intra)
Species Specificity:

mouse

**Background Information** 

Interferon gamma (IFN  $\gamma$  ), is a type II interferon that provides immunity against bacterial, viral and protozoan infections. In its active form, IFN  $\gamma$  is a glycosylated, non-covalently linked homodimer of 29-32 kDa subunits. It is produced by a number of immune cell types including natural killer cells, natural killer T cells, and effector lymphocyte T cells following antigenic and inflammatory triggers. The IFN  $\gamma$  dimer binds to its cognate receptor which has two subunits: IFN- $\gamma$  R1 which is the ligand-binding chain ( $\alpha$  chain) and IFN- $\gamma$  R2, the signal-transducing chain ( $\beta$  chain). Binding to the receptor activates the JAK/STAT pathway which in turn activates IFN  $\gamma$  responsive genes. While IFN  $\gamma$  can inhibit viral replication, it also works as an immune-modulator and immune-stimulator by increasing surface expression of class I MHC proteins. (PMID: 19268625; 10688427)

Storage


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide, pH7.3

## Selected Validation Data



1x10^6 untreated or PMA, Ionomycin and Brefeldin A treated C57BL/6Th1-polarized splenocytes were intracellularly stained with 0.25 ug Coralite® Plus 750 Anti-Mouse IFN-gamma Rabbit Recombinant Antibody (CL750-98045, Clone:240262C9). Cells were co-stained with Coralite® Plus 488 Anti-Mouse CD4, Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer.