For Research Use Only

FcZero-rAb™ PerCP-Cyanine5.5 Anti-Mouse CD90.2 (30-H12) Rabbit IgG Recombinant Antibody



Catalog Number: CPY5-FcA65656

Basic Information

 Catalog Number:
 GenBank Accession Number:

 CPY5-FcA65656
 BC054436

 Concentration:
 GeneID (NCBI):

 100ug, 200 ug/ml
 21838

 Source:
 UNIPROT ID:

 Rabbit
 P01831

Rabbit P01831 Isotype: Full Name:

gG thymus cell antigen 1, theta

Excitation/Emission maxima wavelengths:

Recommended Dilutions:

FC: 0.25 ug per 10^6 cells in a 100 μ l

482 nm / 690nm

Purification Method:

Protein A purification

CloneNo.:

suspension

30-H12

Applications

Tested Applications:

FC

Species Specificity:

mouse

Positive Controls:

FC: mouse thymocytes,

Background Information

CD90 (Thy-1) is a 25 kDa, GPI-linked membrane glycoprotein that belongs to immunoglobulin superfamily (PMID: 6177036; 6153212). Originally described as a brain thymus cross-reactive antigen, it is found in large quantities on mouse and rat thymocytes and central nervous system cells (PMID: 83175). CD90 has been postulated to be involved in cellular recognition, adherence, and T cell activation (PMID: 7683034). Mouse CD90 (Thy-1) is defined as a differentiation alloantigen, represented as two serologically distinguishable allelic forms, designated CD90.1 (Thy-1.1) and CD90.2 (Thy-1.2) (PMID: 83175). CD90.2 is expressed by thymocytes, T cells, neurons and hematopoietic stem cells in most strains of mice (C3H, BALB/c, C57BL/6, DBA, and others), whereas CD90.1 is expressed in some mouse strains like AKR (PMID: 5919593).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 mouse thymocytes were surface stained with 0.25 ug PerCP-Cyanine5.5 Anti-Mouse CD90.2 (30-H12) Rabbit IgG RecAb (CPY5-FcA65656, Clone: 30-H12) or 0.25 ug Rabbit IgG Isotype Control RecAb (CPY5-FcA98136, Clone: 240953C9). Cells were incubated with MonoZeroTM Monocytes blocking Reagent (PF00020) prior to staining. Cells were not fixed.



1x10^6 mouse thymocytes were surface stained with 0.25 ug PerCP-Cyanine5.5 Anti-Mouse CD90.2 (30-H12) Rabbit IgG RecAb (CPY5-FcA65656, Clone: 30-H12) (red) or 0.25 ug Rabbit IgG Isotype Control RecAb (CPY5-FcA98136, Clone: 240953C9) (blue). Cells were incubated with MonoZero™ Monocytes blocking Reagent (PF00020) prior to staining. Cells were not fixed.