For Research Use Only Recombinant Human CTLA4 protein (His Tag)



www.ptgcn.com

Catalog Number: Eg0972

Basic Information	<mark>Species:</mark> Human	Purity: >90 %, SDS-PAGE	Tag: His Tag
Technical Specifications	<mark>Purity:</mark> >90 %, SDS-PAGE Endotoxin Level: <1.0 EU/μg protein, LAL meth	od	
	Source: HEK293-derived Human CTLA4 protein Lys36-Asp161 (Accession # P16410) with a His tag at the C-terminus. GeneID: 1493		
	Accession: P16410		
	Predicted Molecular Mass: 14.6 kDa		
	SDS-PAGE: Formulation:		
		bH 7.4. Normally 5% trehalose and 59	% mannitol are added as protectants before
Biological Activity	Not tested		
Storage and Shipping	Storage: It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.		
	 Until expiry date, -20 3 months, -20[°]C to -8 	$^{\rm C}$ to -80 $^{\rm C}$ as lyophilized proteins. 0 $^{\rm C}$ under sterile conditions after re	constitution.
	Shipping: The product is shipped at amb temperature.	ient temperature. Upon receipt, stor	e it immediately at the recommended
Reconstitution	Briefly centrifuge the tube be	fore opening. Reconstitute at 0.1-0.	5 mg/mL in sterile water.
Background	molecules bind to B7-1 and B	7-2 on antigen-presenting cells. CTLA	perfamily, is primarily found on activated T T-cell costimulatory CD28, and both A-4 acts as a negative regulatory molecule CTLA-4 also exists in a truncated soluble
References	1. Brunet, J F et al. Nature vol. : 2. Harper, K et al. Journal of im	328,6127 (1987): 267-70. munology (Baltimore, Md. : 1950) vol.	147,3 (1991): 1037-44.
Synonyms	CD152, CELIAC3, CTLA 4, Cytoto	oxic T-lymphocyte protein 4, Cytotox	c T-lymphocyte-associated antigen 4

Selected Validation Data