

For Research Use Only


Recombinant Human Lipocalin-2/NGAL protein (His Tag)



Catalog Number: Eg0998

Basic Information	Species: Human	Purity: >90 %, SDS-PAGE	Tag: His Tag
Technical Specifications	<p>Purity: >90 %, SDS-PAGE</p> <p>Endotoxin Level: <0.1 EU/ µg protein, LAL method</p> <p>Source: HEK293-derived Human Lipocalin-2 protein Gln21-Gly198 (Accession# P80188-1) with a His tag at the C-terminus.</p> <p>GeneID: 3934</p> <p>Accession: P80188-1</p> <p>Predicted Molecular Mass: 22.2 kDa</p> <p>SDS-PAGE: 21-25 kDa, reducing (R) conditions</p> <p>Formulation: Lyophilized from 0.22 µm filtered solution in PBS, pH 7.4. Normally 5% trehalose and 5% mannitol are added as protectants before lyophilization.</p>		
Biological Activity	Not tested		
Storage and Shipping	<p>Storage: It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.</p> <ul style="list-style-type: none">• Until expiry date, -20°C to -80°C as lyophilized proteins.• 3 months, -20°C to -80°C under sterile conditions after reconstitution. <p>Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature.</p>		
Reconstitution	Briefly centrifuge the tube before opening. Reconstitute at 0.1-0.5 mg/mL in sterile water.		
Background	<p>Neutrophil gelatinase-associated lipocalin (NGAL) also known as Lipocalin-2 (LCN2), is a secreted glycoprotein that belongs to the lipocalin protein family. Several roles of NGAL was identified, including iron trafficking, chemotactic, and promote cell differentiation and proliferation. NGAL was originally found in human neutrophils, and expressed in tissues containing renal, uterus, liver, spleen, as well as cardiomyocytes, neurons and immune cells. NGAL is a significant biomarker of cardiovascular diseases, ischemic stroke, acute renal injury, inflammation and metabolic diseases, and it can be detected in human serum, saliva and urine.</p>		
References	<ol style="list-style-type: none">1. Bauvois B. et al. (2018) Cancers (Basel). 18;10(9).2. Buonafine M. et al. (2018) Clin Sci (Lond). 132(9):909-923.3. Abella V. et al. (2015) Biomarkers. 20(8):565-71.4. Devarajan P. et al. (2008) Scand J Clin Lab Invest Suppl. 241:89-94.		
Synonyms	LCN2, lipocalin 2, NGAL, 24p3, 25 kDa alpha-2-microglobulin-related subunit of MMP-9		

Selected Validation Data



Purity of Recombinant Human Lipocalin-2 was determined by SDS-PAGE. The protein was resolved in an SDS-PAGE in reducing (R) and non-reducing (NR) conditions and stained using Coomassie blue.

For technical support and original validation data for this product please contact

T: 027-87531629

E: Proteintech-CN@ptglab.com

W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.