

Recombinant Mouse CD23 protein (His Tag)

Catalog Number: Eg1295

Basic Information

Species:
Mouse**Purity:**
>90 %, SDS-PAGE**Tag:**
His Tag

Technical Specifications

Purity:

>90 %, SDS-PAGE

Endotoxin Level:

<0.1 EU/ µg protein, LAL method

Source:

HEK293-derived Mouse CD23 protein Thr51-Pro331 (Accession# P20693-1) with a His tag at the N-terminus.

GeneID:

14128

Accession:

P20693-1

Predicted Molecular Mass:

32.9 kDa

SDS-PAGE:

35-45 kDa, reducing (R) conditions

Formulation:

Lyophilized from 0.22 µm filtered solution in PBS, pH 7.4. Normally 5% trehalose and 5% mannitol are added as protectants before lyophilization.

Biological Activity

Not tested

Storage and Shipping

Storage:

It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

- Until expiry date, -20°C to -80°C as lyophilized proteins.
- 3 months, -20°C to -80°C under sterile conditions after reconstitution.

Shipping:

The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature.

Reconstitution

Briefly centrifuge the tube before opening. Reconstitute at 0.1-0.5 mg/mL in sterile water.

Background

CD23, also known as low affinity immunoglobulin epsilon Fc receptor, is a transmembrane glycoprotein present on a subpopulation of B lymphocytes in germinal centres, EBV-transformed B-lymphoblastoid cell lines, follicular dendritic cells, and a subpopulation of peripheral blood cells. CD23 has essential roles in the regulation of IgE production and in the differentiation of B-cells. CD23 can be cleaved into soluble fragment (soluble CD23, sCD23) of various sizes displaying pleiotropic biological activities. Increased plasma levels of sCD23 have been reported in allergic disorders, acute viral diseases, lepromatous leprosy, B-CLL, and inflammatory diseases like RA, SLE and sarcoidosis.


References

1. Delespesse G. et al. (1991). Adv Immunol. 49:149-91.
2. Sarfati M. et al. (1996). Blood. 88(11):4259-64.
3. Schönermarck U. et al. (2000). Clin Exp Rheumatol. 18(4):457-63.

Synonyms

- 1, Fc-epsilon-R1I, FcεR2, FcεR2a, Low affinity immunoglobulin epsilon Fc receptor

Selected Validation Data



Purity of Recombinant Mouse CD23 was determined by SDS-PAGE. The protein was resolved in an SDS-PAGE in reducing (R) and non-reducing (NR) conditions and stained using Coomassie blue.

For technical support and original validation data for this product please contact

T: 027-87531629

E: Proteintech-CN@ptglab.com

W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.