For Research Use Only Recombinant Human CD68 protein (rFc Tag)




www.ptgcn.com

Catalog Number: Eg2061

Basic Information	Species: Human	Purity: >90 %, SDS-PAGE	Tag: rFc Tag	
Technical Specifications	Purity: >90 %, SDS-PAGE			
	<mark>Endotoxin Level:</mark> <0.1 EU/μg protein, LAL method			
	Source: HEK293-derived Human CD68 protein Asn22-Ser319 (Accession# P34810-1) with a rabbit lgG Fc tag at the C- terminus.			
	GenelD: 968			
	Accession: P34810-1			
	Predicted Molecular Mass: 60.8 kDa			
	SDS-PAGE: 80-110 kDa, reducing (R) conditions			
	Formulation: Lyophilized from 0.22 μm filtered solution in PBS, pH 7.4. Normally 5% trehalose and 5% mannitol are added as protectants before lyophilization.			
Biological Activity	Not tested			
Storage and Shipping	Storage: It is recommended that th	e protein be aliquoted for optimal storag	e. Avoid repeated freeze-thaw cycles.	
	 Until expiry date, -20°C to -80°C as lyophilized proteins. 3 months, -20°C to -80°C under sterile conditions after reconstitution. 			
	Shipping: The product is shipped at a temperature.	mbient temperature. Upon receipt, store	e it immediately at the recommended	
Reconstitution	Briefly centrifuge the tube	e before opening. Reconstitute at 0.1-0.5	mg/mL in sterile water.	
Background	macrophages, microglia, a in various physiological an auto-immunity, bone-reso	mbrane glycoprotein widely expressed i nd osteoclasts. It is located at the lysosor d pathological processes, including athe rbing promotion, and tumor progression ed low-density lipoprotein particle stimu d presentation.	ne and plasma membrane and is essentia rosclerosis formation, inflammation and . It participates in the cellular response t	l to
References	3. Li Song, et al. (2011) J Lip 4. Jason W Ashley, et al. (20 5. Gunnar Steinert, et al. (2	Blood. 81(6):1607-1613. 103) J Lipid Res. 44(4):674-685. id Res. 52(8):1542-1550. 11) PLoS One. 6(10):e25838. 014) Cancer Res. 74(6):1694-1704. 2019) Oral Oncol. 93:66-75.		
Synonyms	CD68, CD68 molecule, GP1	10, Macrosialin, SCARD1		

Selected Validation Data



Purity of Recombinant Human CD68 was determined by SDS-PAGE. The protein was resolved in an SDS-PAGE in reducing (R) and non-reducing (NR) conditions and stained using Coomassie blue.