For Research Use Only Recombinant Human B2M protein (mFc Tag)



www.ptgcn.com

Catalog Number: Eg2284

| Basic Information | <mark>Species:</mark> Human | Purity: >90 %, SDS-PAGE | Tag: mFc Tag |
|----------------------------|---|---|--|
| Technical Specifications | Purity: >90 %, SDS-PAGE | | |
| | <mark>Endotoxin Level:</mark> <1.0 EU/ μ g protein, LAL meth | od | |
| | Source: HEK293-derived Human B2M protein Ile21-Met119 (Accession# P61769) with a mouse IgG Fc tag at the C- terminus. | | |
| | GenelD: 567 | | |
| | Accession: P61769 | | |
| | Predicted Molecular Mass: 38.4 kDa | | |
| | SDS-PAGE: | | |
| | Formulation: Lyophilized from sterile PBS, _I lyophilization. | oH 7.4. Normally 5% trehalose and 5 ^c | % mannitol are added as protectants before |
| Biological Activity | Not tested | | |
| Storage and Shipping | Storage: It is recommended that the pr | rotein be aliquoted for optimal stora | ge. Avoid repeated freeze-thaw cycles. |
| | Until expiry date, -20 3 months, -20 °C to -8 | $^{\rm C}$ to -80 $^{\rm C}$ as lyophilized proteins. 0 $^{\rm C}$ under sterile conditions after re | constitution. |
| | Shipping: The product is shipped at amb temperature. | vient temperature. Upon receipt, sto | re it immediately at the recommended |
| Reconstitution | Briefly centrifuge the tube be | fore opening. Reconstitute at 0.1-0. | 5 mg/mL in sterile water. |
| Background | emerging biomarker for cardi mortality. B2M also complexes | ovascular diseases (CVD), including c s with many non-classical MHC-I like | or histocompatibility complex class I (MHC- d cells. B2M has been suggested as an oronary heart disease (CHD) and stroke, and molecules such as CD1, MR1, HLA-E, -F, -G umour surveillance, immunoglobulin and |
| References | 2. Shi, Fanchao et al. Atheroscl | he Journal of biological chemistry vo erosis vol. 320 (2021): 70-78. al. Frontiers in medicine vol. 4 73. | l. 243,15 (1968): 4095-103. |
| Synonyms | Beta-2-microglobulin, beta 2 CDABP0092 | microglobulin, beta 2-Microglobulin, | Beta-2-microglobulin form pl 5.3, |

Selected Validation Data