For Research Use Only

Recombinant Human CCL27 protein (rFc Tag)(HPLC verified)



Catalog Number: Eg2461

Basic Information

Species: Human

Purity: >90 %, SDS-PAGE
>90%, SEC-HPLC

Technical Specifications

Purity: >90 %, SDS-PAGE
br> >90%, SEC-HPLC

Endotoxin Level:

<0.1 EU/ µg protein, LAL method

HEK293-derived Human CCL27 protein Phe25-Gly112 (Accession# Q9Y4X3) with a rabbit IgG Fc tag at the Nterminus.

GeneID: 10850

Accession: Q9Y4X3

Predicted Molecular Mass:

37.3 kDa **SDS-PAGE:**

34-40 kDa, reducing (R) conditions

Lyophilized from 0.22 $\,\mu$ m filtered solution in PBS, pH 7.4. Normally 5% trehalose and 5% mannitol are added as protectants before lyophilization.

Biological Activity

Not tested

Storage and Shipping

Storage:

It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Until expiry date, -20°C to -80°C as lyophilized proteins.
3 months, -20°C to -80°C under sterile conditions after reconstitution.

The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended

Reconstitution

Briefly centrifuge the tube before opening. Reconstitute at 0.1-0.5 mg/mL in sterile water.

Background

CCL27 (also called ESkine, ALP, ILC, or CTACK) is a chemokine predominantly expressed by skin keratinocytes. In the healthy skin, CCL27 expression was predominantly detected in keratinocytes of the epidermis and hair follicles (HF) in both humans and mice. CCL27 expression is suppressed in the lesional skin of various skin inflammatory diseases such as psoriasis, hidradenitis suppurativa (HS), and alopecia areata.

References


1.Davila, Micha L et al. (2022) iScience. 25(6):104426.


2.Zhong, Wenlong et al. (2020) Oncoimmunology. 9(1):1776060.


Synonyms

C C motif chemokine 27, CC chemokine ILC, C-C motif chemokine 27, CCL 27, CCL-27

Selected Validation Data







The purity of Human CCL27 was greater than 90% as determined by SEC-HPLC.