## For Research Use Only

## Recombinant Rat B7-H4 protein (rFc Tag)



Catalog Number: Eg3230

**Basic Information** 

Species: Rat

Purity: >90 %, SDS-PAGE

Tag: rFc Tag

**Technical Specifications** 

Purity: >90 %, SDS-PAGE

**Endotoxin Level:** 

<0.1 EU/ µ g protein, LAL method

HEK293-derived Rat B7-H4 protein Phe29-Gly257 (Accession# Q501W4) with a rabbit IgG Fc tag at the Cterminus.

GeneID: 295322

Accession: Q501W4

**Predicted Molecular Mass:** 

51.5 kDa

**SDS-PAGE:** 

65-90 kDa, reducing (R) conditions

Formulation:
Lyophilized from 0.22 µm filtered solution in PBS, pH 7.4. Normally 5% trehalose and 5% mannitol are added as protectants before lyophilization.

**Biological Activity** 

Not tested

Storage and Shipping

Storage:

It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Until expiry date, -20% to -80% as lyophilized proteins. 3 months, -20% to -80% under sterile conditions after reconstitution.

Shipping:
The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature.

Reconstitution

Briefly centrifuge the tube before opening. Reconstitute at 0.1-0.5 mg/mL in sterile water.

Background

B7-H4, also known as V-set domain containing T cell activation inhibitor 1 (VTCN1/B7x/B7 homolog4/B7S1), belongs to the coinhibitory B7 family ligands. B7-H4 is a type I transmembrane protein and is thought to be an immune checkpoint molecule in the context of tumor immunity. B7-H4 is nominally expressed in normal tissues yet is highly expressed in many types of cancer, including breast cancer, cholangiocarcinoma, endometrial carcinoma, non-small cell and squamous cell lung carcinoma, and ovarian carcinoma. High B7-H4 expression often correlates with shorter cancer patient survival.


References

1.Song X, et al. (2020) Cancer Discov. 10(12):1872-1893. 2.Kinneer K, et al. (2023) Clin Cancer Res. 29(6):1086-1101. 3.Toader D, et al. (2023) Mol Cancer Ther. 22(9):999-1012. 4.Yu J, et al. (2024) Cell. 187(17):4713-4732.e19.

**Synonyms** 

B7H4, B7S1, B7x, V-set domain-containing T-cell activation inhibitor 1, Vtcn1

## **Selected Validation Data**



Purity of Recombinant Rat B7-H4 was determined by SDS-PAGE. The protein was resolved in an SDS-PAGE in reducing (R) and non-reducing (NR) conditions and stained using Coomassie blue.