


Catalog Number: Eg3251

Basic Information	Species: Rat	Purity: >90 %, SDS-PAGE	Tag: rFc Tag
Technical Specifications	Purity: >90 %, SDS-PAGE Endotoxin Level: <0.1 EU/ µg protein, LAL method Source: HEK293-derived Rat MAG protein Gly20-Pro516 (Accession# P07722-1) with a rabbit IgG Fc tag at the C-terminus. GeneID: 29409 Accession: P07722-1 Predicted Molecular Mass: 81.2 kDa SDS-PAGE: 95-110 kDa, reducing (R) conditions Formulation: Lyophilized from 0.22 µm filtered solution in PBS, pH 7.4. Normally 5% trehalose and 5% mannitol are added as protectants before lyophilization.		
Biological Activity	Not tested		
Storage and Shipping	Storage: It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles. • Until expiry date, -20°C to -80°C as lyophilized proteins. • 3 months, -20°C to -80°C under sterile conditions after reconstitution. Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature.		
Reconstitution	Briefly centrifuge the tube before opening. Reconstitute at 0.1-0.5 mg/mL in sterile water.		
Background	Myelin-associated glycoprotein (MAG/Siglec-4a), a member of the siglec family, is a 100 kDa glycoprotein that is located in the innermost layer of the myelin lamellae, where it maintains close contact with the axonal membrane and mediates cell-to-cell interactions between myelinating glial cells and neurons. It is selectively expressed by myelinating cells, including Schwann cells in the peripheral nervous system (PNS) and oligodendrocytes in the central nervous system (CNS). MAG is a key component of axon-glial cell interactions, and serves a variety of functions in the biology of neurons and glial cells. In vitro MAG can affect synapse growth in a bifunctional manner. It promotes neurite growth in neurons at early stages of development (e.g., embryonic dorsal root ganglion) and inhibits neurite growth in neurons at later stages, such as the adult dorsal root ganglion or early postnatal cerebellum.		
References	1. Lopez PH. (2014) Adv Neurobiol. 9:245-62. 2. Strenge K, et al. (2001) FEBS Lett. 499(3):262-7. 3. Swanson BJ, et al. (2007) Cancer Res. 67(21):10222-9.		
Synonyms	1B236, Brain neuron cytoplasmic protein 3, Myelin-associated glycoprotein, Sialic acid-binding Ig-like lectin 4a, Siglec-4a		

Selected Validation Data



Purity of Recombinant Rat MAG was determined by SDS-PAGE. The protein was resolved in an SDS-PAGE in reducing (R) and non-reducing (NR) conditions and stained using Coomassie blue.

For technical support and original validation data for this product please contact

T: 027-87531629

E: Proteintech-CN@ptglab.com

W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.