## For Research Use Only

## FITC Plus Anti-Mouse CD38 (90)

Catalog Number:FITC-65059



**Basic Information** 

Catalog Number: GenBank Accession Number: Purification Method: FITC-65059 BC046312 Affinity purification

 Concentration:
 GeneID (NCBI):
 CloneNo.:

 100ug, 0.5 mg/ml
 12494
 90

Source: UNIPROT ID: Recommended Dilutions: Rat P56528 FC: 0.5 ug per  $10^{\circ}6$  cells in 100  $\mu$ l

 Isotype:
 Full Name:
 suspension

 IgG2a, kappa
 CD38 antigen
 Excitation/Emission maxima

wavelengths: 495 nm / 524 nm

**Applications** 

**Tested Applications:** 

FC

Species Specificity:

mouse

Positive Controls:

FC: mouse splenocytes,

## **Background Information**

CD38, also known as ADP-ribosyl cyclase 1, is a type II transmembrane glycoprotein with a short N-terminal cytoplasmic tail, a single membrane-spanning domain, and a C-terminal extracellular region with four N-glycosylation sites (PMID: 2319135). The extracellular domain of CD38 has bifunctional enzyme activities that catalyze synthesis of cyclic ADP ribose from nicotinamide adenine dinucleotide (NAD) and hydrolysis of cyclic ADP ribose to adenosine diphosphoribose (PMID: 10636863). CD38 is expressed on a variety of hematopoietic and non-hematopoietic cells and is involved in diverse processes such as generation of calcium-mobilizing metabolites, cell activation, and chemotaxis (PMID: 25938500).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide, pH7.3

## Selected Validation Data



1X10^6 mouse splenocytes were surface stained with 0.5 ug FITC Plus Anti-Mouse CD38 (FITC-65059, Clone:90) (red), or 0.5 ug Isotype Control. Cells were not fixed.



1X10^6 mouse splenocytes were surface stained with 0.5 ug FITC Plus Anti-Mouse CD38 (FITC-65059, Clone:90) or 0.5 ug Isotype Control. Cells were not fixed.