For Research Use Only

FITC Plus Anti-Human ICAM-1/CD54 (15.2)

Catalog Number:FITC-65075



Purification Method:

Affinity purification

Recommended Dilutions:

FC: 5 ul per 10^6 cells in 100 μ l

Excitation/Emission maxima

CloneNo.:

suspension

wavelengths:

495 nm / 524 nm

15.2

Basic Information

Catalog Number: FITC-65075 Concentration:

100tests, 5 µ l/test
Source:
Mouse
Isotype:
IgG1, kappa

G1, kappa

Applications

Tested Applications:
FC

Species Specificity: human

log Number: GenBank Accession Number: -65075 BC015969

GeneID (NCBI): 3383

Full Name:

90 kDa

ENSEMBL Gene ID: ENSG00000090339 UNIPROT ID: P05362

intercellular adhesion molecule 1
Calculated MW:

Positive Controls:

FC : human PBMCs,

Background Information

ICAM-1 (CD54) is a 90-kDa transmembrane glycoprotein of the immunoglobulin superfamily and is critical for the firm attachment and transmigration of leukocytes out of blood vessels and into tissues (PMID: 19307690). ICAM-1 is expressed by several cell types, typically on endothelial cells and cells of the immune system, and its expression can be up-regulated by various stimuli, including TNF- α , ILF- γ , ILF-1 and thrombin (PMID: 3086451; 9694714; 15979056). It is a ligand for LFA-1 and Mac-1, serves as a receptor for rhinovirus, and is one of several receptors used by Plasmodium falciparum (PMID: 2566624; 2538244; 2475784).

Storage


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1X10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD54 (ICAM-1) (FITC-65075, Clone:15.2). Cells were not fixed. Monocytes were gated.