For Research Use Only

## FITC Plus Anti-Mouse PD-1/CD279 (RMP1-30)

Catalog Number:FITC-65142

1 Publications




Basic Information	Catalog Number: FITC-65142			Purification Method: Protein A purification
	Size: 100ug, 500 μg/ml	Genel D (NCBI 18566	):	CloneNo.: RMP1-30
	Source:UNIPROT ID:RatQ02242		Excitation/Emission maxima wavelengths: 495 nm / 524 nm	
	Isotype:Full Name:IgG2b, kappaprogrammed cell death 1			
Applications	Tested Applications: FC			
	Cited Applications: FC			
	Species Specificity: Mouse			
Background Information	Programmed cell death 1 (PD-1, also known as CD279) is an immunoinhibitory receptor that belongs to the CD28/CTLA-4 subfamily of the Ig superfamily. It is a 288 amino acid (aa) type I transmembrane protein composed of one Ig superfamily domain, a stalk, a transmembrane domain, and an intracellular domain containing an immunoreceptor tyrosine-based inhibitory motif (ITIM) as well as an immunoreceptor tyrosine-based switch motif (ITIM) (PMID: 18173375). PD-1 is expressed during thymic development and is induced in a variety of hematopoietic cells in the periphery by antigen receptor signaling and cytokines (PMID: 20636820). Engagement of PD-1 by its ligands PD-L1 or PD-L2 transduces a signal that inhibits T-cell proliferation, cytokine production, and cytolytic function (PMID: 19426218). It is critical for the regulation of T cell function during immunity and tolerance. Blockade of PD-1 can overcome immune resistance and also has been shown to have antitumor activity (PMID: 22658127; 23169436).			
Notable Publications	Author	Pubmed ID	Journal	Application
	Hui Meng	39261658	Oncogene	FC
Storage	Storage: Store at 2-8°C. Avoid expos Storage Buffer: PBS with 0.09% sodium az	U	e year after shipme	ent.

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1X10<sup>^</sup>6 Con-A stimulated BALB/c mouse splenocytes were surface stained with 0.5 ug FITC Plus Anti-Mouse PD-1/CD279 (FITC-65142, Clone: RMP1-30) or isotype control antibody. Cells were not fixed.