For Research Use Only

FITC Plus Anti-Human CD64 (10.1)

Catalog Number: FITC-65253



Basic Information

Catalog Number:

FITC-65253

Size:

100tests, 5 $\,\mu$ l/test

Source: Mouse

Isotype: IgG1, kappa

IgG1, kappa

Full Name:
Fc fragment of IgG, high affinity Ia,

P12314

BC032634

2209

GeneID (NCBI):

ENSEMBL Gene ID:

ENSG00000150337

UNIPROT ID:

receptor (CD64)

GenBank Accession Number:

Calculated MW: 374 aa, 43 kDa

Purification Method:

Affinity purification CloneNo.:

Excitation/Emission maxima

wavelengths: 495 nm / 524 nm

Applications

Tested Applications:

FC

Species Specificity:

Human

Background Information

Fc γ receptor comprise a multigene family of integral membrane glycoproteins that exhibit complex activation or inhibitory effects on cell functions after aggregation by complexed immunoglobulin G (IgG) (PMID: 17005690). CD64, also known as Fc γ RIA, is a high-affinity receptor for the Fc region of IgG. It is expressed by monocytes/macrophages, activated neutrophils, dendritic cells, and early myeloid cells (PMID: 23293080; 19642859; 7680917). CD64 functions in both innate and adaptive immune responses.

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD64 (FITC-65253, Clone:10.1) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD64 (FITC-65253, Clone:10.1) or unstained. Cells were not fixed. Monocytes were gated.