For Research Use Only


FITC Plus Anti-Human CD11c (3.9) Mouse IgG1 Recombinant Antibody Catalog Number: FITC-65511




Basic Information	Catalog Number: FITC-65511	GenBank Accession Number: BC038237	Purification Method: Affinity purification
	Size: 100tests, 5 ul/test	GenelD (NCBI): 3687	CloneNo.: 3.9
	Source: Mouse Isotype: IgG1	ENSEMBL Gene ID: ENSG00000140678 Full Name: integrin, alpha X (complement component 3 receptor 4 subunit)	Excitation/Emission maxima wavelengths: 495 nm / 524 nm
		Applications	
Species Specificity: human			
Background Information	Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits (PMID: 9779984). CD11c, also known as integrin α X, is a type I transmembrane glycoprotein present on a variety of cells, including monocytes/macrophages, granulocytes, a subset of B cells, NK cells and dendritic cells (PMID: 2897326; 1680915; 1694698; 17389580). As a result of its high level of expression on most dendritic cells, CD11c is typically considered to be a marker of conventional dendritic cells (PMID: 27119555). CD11c forms an α / β heterodimer with CD18 (integrin β 2). CD11c/CD18 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis (PMID: 1671533).		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide and 0.5% BSA.		

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10^{^6} human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD11c Mouse Recombinant Antibody (FITC-65511, Clone:3.9) or FITC Plus Mouse IgG1 Isotype Control (FITC-65124, Clone: MOPC-21). Cells were not fixed. Cells were treated with FC Receptor Block prior to staining. Monocytes were gated.

1x10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD11c Mouse Recombinant Antibody (FITC-65511, Clone:3.9) or FITC Plus Mouse 1gG1 lsotype Control (FITC-65124, Clone: MOPC-21). Cells were not fixed. Cells were treated with FC Receptor Block prior to staining. Monocytes were gated.