For Research Use Only

FITC Plus Anti-Human IL3RA/CD123 Rabbit Recombinant Antibody

Catalog Number:FITC-98107





Basic Information	Catalog Number:	GenBank Accession Number:	Purification Method:
	FITC-98107 Concentration:	BC035407 GeneID (NCBI):	Protein A purification CloneNo.:
	100tests, 5 ul/test	3563	241268E3
	Source: Rabbit	ENSEMBL Gene ID:Excitation/EmissionENSG00000185291wavelengths:UNIPROT ID:495 nm / 524 nmP26951	Excitation/Emission maxima wavelengths:
	Isotype: IgG		495 nm / 524 nm
		Full Name: interleukin 3 receptor, alpha (low affinity)	
		Calculated MW: 378 aa, 43 kDa	
Applications	Tested Applications: FC		
	Species Specificity: human		
Background Information	Interleukin-3 receptor subunit alpha (IL3RA), also known as CD123, belongs to the cytokine receptor family. It is a glycoprotein containing an extracellular domain, involving a predicted Ig-like domain, two FnIII domains, a transmembrane domain and an intracellular domain (PMID: 24513123). IL3RA is expressed on hematopoietic progenitor cells, plasmacytoid dendritic cells, basophils, monocytes, some B cells, and in a variety of hematologic malignancies (PMID: 10527461; 34855461). IL-3 initially binds to IL3RA and subsequently recruits the beta chain (CD131) to form the high-affinity receptor, resulting in the activation of a series of signaling pathways including the JAK/STAT, Ras-MAPK, and phosphatidylinositol 3-kinase pathways (PMID: 29296749). IL-3R signaling regulates the proliferation, survival, and differentiation of hematopoietic cells.		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide.		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10^6 human PBMCs were surface stained with CoraLite® Plus 647 Anti-Human CD45RO and 5 ul FITC Plus Anti-Human IL3RA/CD123 Rabbit Recombinant Antibody (FITC-98107, Clone:241268E3), or FITC Plus Rabbit IgG Isotype Control Recombinant Antibody (FITC-98136, Clone: 240953C9). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed. Lymphocytes were gated.

1x10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human IL3RA/CD123 Rabbit Recombinant Antibody (FITC-98107, Clone:241268E3)(red), or FITC Plus Rabbit IgG Isotype Control Recombinant Antibody (FITC-98136, Clone: 240953C9)(blue). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed. Lymphocytes were gated.