For Research Use Only

FITC Plus Anti-Human IL-18R1/CD218a Rabbit Recombinant Antibody

Catalog Number: FITC-98150



Basic Information

Catalog Number: FITC-98150

Concentration: 100tests, 5 ul/test

Source: Rabbit Isotype:

IgG

GenBank Accession Number:

BC093975 GenelD (NCBI): 8809

UNIPROT ID: Q13478 Full Name:

interleukin 18 receptor 1

Calculated MW: 541 aa, 62 kDa Purification Method:

Protein A purification

CloneNo.: 241673D3

Recommended Dilutions:

FC: 5 ul per 10^6 cells in a 100 μ l

suspension

Excitation/Emission maxima

wavelengths: 495 nm / 524 nm

Applications

Tested Applications:

FC

Species Specificity:

human

Positive Controls:

FC: human peripheral blood leukocytes,

Background Information

IL-18R1 (CD218a) is a component of the interleukin-18 receptor (IL-18R) complex, which is critical for the signaling of IL-18, a pro-inflammatory cytokine. This receptor complex, consisting of IL-18R1 and the IL-18 receptor accessory protein (IL-18RAP), belongs to the immunoglobulin-like family of interleukin-1 receptors (PMID: 35461924). IL-18R1 plays a significant role in inducing the production of interferon-gamma (IFN- γ) and other inflammatory cytokines, contributing to innate and adaptive immune responses (PMID: 2550053). It is also suggested to play a role in hypertension and chronic kidney disease, where the IL-18/IL-18R1 signaling axis may have diagnostic and therapeutic potential (PMID: 35461924).


Storage

Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 human peripheral blood leukocytes were surface stained with 5 ul FITC Plus Anti-Human IL-18R1/CD218a Rabbit RecAb (FITC-98150, Clone: 241673D3) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9). Cells were co-stained with Coralite® Plus 647 Anti-Human NCAM1/CD56 (B-A19) (CL647-65264, Clone: B-A19). Cells were not fixed.



1x10^6 human peripheral blood leukocytes were surface stained with 5 ul FITC Plus Anti-Human IL-18R1/CD218a Rabbit RecAb (FITC-98150, Clone: 241673D3) (red) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). Cells were not fixed.