For Research Use Only

## FITC Plus Anti-Human IL-13 Rabbit Recombinant Antibody

Catalog Number: FITC-98159



**Purification Method:** 

Protein A purification

495 nm / 524 nm

**Basic Information** 

Catalog Number: GenBank Accession Number: FITC-98159 AAK53823

Concentration: GeneID (NCBI): CloneNo.: 100tests, 5 ul/test 3596 241396F3

**UNIPROT ID:** Recommended Dilutions: Source: Rabbit P35225 FC (Intra): 5 ul per 10^6 cells in a 100

ul suspension Isotype: Full Name:

IgG interleukin 13 Excitation/Emission maxima wavelengths:

Immunogen Catalog Number:

EG0061

Positive Controls:

FC (Intra): PMA, Ionomycin and Brefeldin A treated

human PBMCs,

**Applications** 

**Tested Applications:** FC (Intra)

Species Specificity:

human

## **Background Information**

Interleukin 13 (IL-13) is an immunoregulatory cytokine produced primarily by activated Th2 cells. This cytokine is involved in several stages of B-cell maturation and differentiation. IL-13 up-regulates CD23 and MHC class II expression, and promotes IgE isotype switching of B cells. IL-13 inhibits the production of a series of cytokines like IL-1, IL-6, TNF-alpha, and IL-8 by activated human monocytes. IL-13 induces IFN-gamma production by NK cells. IL-13 is thought to be important cytokine in the pathogenesis of asthma, and more recently has been shown to play a pivotal role in a number of fibrotic diseases including hepatic and pulmonary fibrosis, and nodular sclerosing Hodgkin's disease.


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

## Selected Validation Data



1x10^6 untreated or PMA, Ionomycin and Brefeldin A treated human PBMCs were intracellularly stained with CoraLite® Plus 647 Anti-Human CD4 and 5 ul FITC Plus Anti-Human IL-13 Rabbit RecAb (FITC-98159, Clone:241396F3). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).