## For Research Use Only

## FITC Plus Anti-Mouse PD-L1/CD274 Rabbit Recombinant Antibody

Catalog Number:FITC-98166



Basic Information	Catalog Number: FITC-98166	GenBank Accession Number: NM_021893.3	Purification Method: Protein A purification	
	Concentration: 100ug, 500 ug/ml	GenelD (NCBI): 60533	CloneNo.: 240993E1	
	Source: Rabbit	UNIPROT ID: Q9EP73	Recommended Dilutions: FC: 0.25 ug per 10^6 cells in a 100 µl	
	Isotype: IgG	Full Name: CD274 antigen	suspension Excitation/Emission maxima wavelengths: 495 nm / 524 nm	
	Immunogen Catalog Number: EG0986	Calculated MW: 33 kDa		
Applications	Tested Applications: FC	Positive Controls: FC : Anti-CD3/CD28 treated mouse splenocytes,		
	Species Specificity: mouse			
Background Information	family molecules are type I trans their CD28 family receptors, the B negative regulator of T and B cell, It is also involved in the costimul	Programmed cell death ligand 1 (PD-L1, CD274, or B7-H1), is the first member of B7 family to be discovered. B7 family molecules are type I transmembrane proteins belonging to the immunoglobulin superfamily. In concert with their CD28 family receptors, the B7s are key regulators of the adaptive immune response. PD-L1 is suggested as a negative regulator of T and B cell, and plays important role in mediating tolerance of lymphocytes to self-antigens. It is also involved in the costimulatory signal, essential for T-cell proliferation and production of IL10 and IFNG, in an IL2-dependent and a PD-1-independent manner.		
Storage	Storage: Store at 2-8°C. Avoid exposure to Storage Buffer: PBS with 0.09% sodium azide, pH	light. Stable for one year after shipn 7.3	ient.	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





1x10<sup>^</sup>6 untreated or anti-CD3/CD28 treated mouse splenocytes were surface stained with CoraLite® Plus 647 Anti-Mouse CD3 and 0.25 ug FITC Plus Anti-Mouse PD-L1/CD274 Rabbit RecAb (FITC-98166, Clone: 240993E1). Cells were not fixed.

1x10^6 anti-CD3/CD28 treated mouse splenocytes were surface stained with 0.25 ug FITC Plus Anti-Mouse PD-L1/CD274 Rabbit RecAb (FITC-98166, Clone: 240993E1) (red) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). 1x10^6 untreated mouse splenocytes were surface stained with 0.25 ug FITC Plus Anti-Mouse PD-L1/CD274 Rabbit RecAb (FITC-98166, Clone: 240993E1) (black, dashed). Cells were not fixed.