
## For Research Use Only FlexAble 2.0 CoraLite® Plus 647 Antibody Labeling Kit for Rabbit IgG Catalog Number: KFA503




	Product name FlexAble 2.0 CoraL	Lite® Plus 647 Antibody Li	abeling Kit fo	vr Pabbit IgG
	Assay type	Antibody labeling		i Kabbit igʻa
	Tested applications	IF, FC, WB		
	Species Reactivity	Rabbit IgG		
	Antibody amount per labeling reaction	0.5 µg antibody		
	Conjugate	CoraLite® Plus 647	7	
	Excitation / Emission maxima wavelengths	654 nm/ 674 r	ım	
产品成分	Component	10 rxns	50 rxns	200 rxns
	CoraLite® Plus 647 FlexLinker 2.0 for Rabb		50 µ L	200 µ L
	FlexQuencher for Rabbit IgG	20 µL	100 µL	400 µ L
	FlexBuffer	100 µ L	500 μL	2000 µL
包装规格	10/50/200 reactions			
呆存条件	Store for 1 year at -20°C or for 6 months at +4°C upor	n receipt. Avoid exposure	to light.	
其他	Q: What is the difference between FlexAble and FlexAble 2.0 products? A: FlexAble 2.0 has been improved to allow for more dyes per FlexLinker than the previous version of the kit. This results in an increased signal per antibody. Q: What are the FlexLinker, FlexQuencher and FlexBuffer? A: The FlexLinker is a small polypeptide to which dyes are covalently conjugated that can label unconjugated primary antibodies. The FlexQuencher is an Fc-containing fragment that neutralizes the excess FlexLinker. The FlexBuffer is a PBS-based buffer.			
	Q: What is the largest quantity I can label? A: With a standard kit size (50 reactions), you can label 25 µg of one antibody or up to 50 different antibodies. You can easily scale up the antibody amount per labeling approach.			
		eling approach. ntibody that I can use? µL, which ends up at 0.07 r	ng/mL. If the	
	You can easily scale up the antibody amount per labe Q: What is the lowest concentration of my primary ar A: Our protocol uses 0.5 µg of primary antibody in 7 µ	eling approach. ntibody that I can use? μL, which ends up at 0.07 r me than 7 μL. rol, Tris buffer and/or pres idated with carriers and a	ervatives? mine buffers	concentration of . Neither BSA nor
	You can easily scale up the antibody amount per labe Q: What is the lowest concentration of my primary ar A: Our protocol uses 0.5 µg of primary antibody in 7 µ your antibody is lower, you can also use a larger volu Q: Can I label primary antibodies stored in BSA, glycer A: Yes, FlexAble Antibody Labeling Kits have been val amine buffers, in any chosen concentration, interfer	eling approach. ntibody that I can use? μL, which ends up at 0.07 r me than 7 μL. rol, Tris buffer and/or pres idated with carriers and a re with the labeling. 50% g with one kit?	ervatives? mine buffers glycerol as w	concentration of Neither BSA nor ell as preservative
	You can easily scale up the antibody amount per labe Q: What is the lowest concentration of my primary ar A: Our protocol uses 0.5 µg of primary antibody in 7 µ your antibody is lower, you can also use a larger volu Q: Can I label primary antibodies stored in BSA, glycer A: Yes, FlexAble Antibody Labeling Kits have been val amine buffers, in any chosen concentration, interfer like sodium azide are also compatible with the kit. Q: How many different primary antibodies can I label A: You can label up to 50 different antibodies with ou	eling approach. htibody that I can use? JL, which ends up at 0.07 m me than 7 µL. rol, Tris buffer and/or press idated with carriers and a re with the labeling. 50% with one kit? In FlexAble 50 rxn Kit, and two FlexAble -labeled ant hity FlexLinker. Dissociation. If you observe leaking, w	ervatives? mine buffers glycerol as w up to 10 anti ibodies from on of FlexLinl e recommen	concentration of . Neither BSA nor ell as preservative bodies with our the same species ker from one d adding more


## Validation Data




Immunofluorescence of Mouse colon: FFPE Mouse colon sections were stained with anti-FUS (11570-1-AP) labeled with FlexAble 2.0 Coralite® Plus 647 Kit (KFA503, magenta), anti-a-SMA (67735-1-1g) labeled with FlexAble 2.0 Coralite® Plus 555 Kit (KFA522, orange), anti-E-cadherin (60335-1-1g) labeled with FlexAble 2.0 Coralite® Plus 488 Kit... (KFA561, green) and DAPI (blue).



Immunofluorescence of Mouse colon: FFPE Mouse colon sections were stained with anti-FUS (11570-1-AP) labeled with FlexAble 2.0 Coralite® Plus 647 Kit (KFA503, magenta), anti- $\alpha$ -SMA (67735-1-Ig) labeled with FlexAble 2.0 Coralite® Plus 555 Kit (KFA522, orange) and DAPI (blue).




Immunofluorescence of Hela cells: PFA-fixed cells were stained with rabbit JgG anti-Lamin antibody (12987-1-AP) labeled with FlexAble 2.0 Coralite® Plus 555 Kit (KFA502, yellow), rabbit JgG anti-GM130 antibody (11308-1-AP) labeled with FlexAble 2.0 Coralite® Plus 647 Kit (KFA503, magenta) and rabbit JgG anti-Tubulin... antibody (80713-1-RR) labeled with FlexAble 2.0 Coralite® Plus 750 Kit (KFA504, grey). Cell nuclei




Immunofluorescence of Hela cells: PFA-fixed cells were stained with rabbit IgG anti-TDP43 antibody directly conjugated with CoraLite® Plus 488 (CL488-10782, green), rabbit IgG anti-GM130 antibody directly conjugated with CoraLite® Plus 555 (CL555-11308, red), rabbit IgG anti-Lamin


For technical support and original validation data for this product please contactT: 027-87531629E: Proteintech-CN@ptglab.comW: ptgcn.com




Immunofluorescence of Mouse colon: FFPE Mouse colon sections were stained with anti-FUS (11570-1-AP) labeled with FlexAble 2.0 Coralite® Plus 647 Kit (KFA503, magenta), anti-a - SMA (67735-1-lg) labeled with FlexAble 2.0 Coralite® Plus 555 Kit (KFA522, orange), anti-E-cadherin (60335-1-lg) labeled with FlexAble 2.0 Coralite® Plus 488 Kit... (KFA561, green) and DAPI (blue).




Immunofluorescence of Rat brain: FFPE Rat brain sections were stained with anti-MAP2 (17490-1-AP) labeled with FlexAble 2.0 CoraLite® Plus 647 Kit (KFA503, magenta), anti-GFAP (60190-1-1g) labeled with FlexAble 2.0 CoraLite® Plus 488 Kit (KFA541, green), anti-TDP-43 (67345-1-1g) labeled with FlexAble 2.0 CoraLite® Plus 555 Kit... (KFA542,organge) and DAPI (blue).




Immunofluorescence of Hela cells: PFA-fixed cells were stained with rabbit IgG anti-Lamin antibody (12987-1-AP) labeled with FlexAble 2.0 CoraLite® Plus 555 Kit (KFA502, yellow), rabbit IgG anti-GM130 antibody (11308-1-AP) labeled with FlexAble 2.0 CoraLite® Plus 647 Kit (KFA503, magenta) and rabbit IgG anti-Tubulin... antibody (80713-1-RR) labeled with FlexAble 2.0 CoraLite® Plus 750 Kit (KFA504, grey). Cell nuclei




Immunofluorescence of Hela cells: PFA-fixed cells were stained with rabbit IgG anti-GM130 antibody (11308-1-AP) labeled with FlexAble 2.0 CoraLite® Plus 647 Kit (KFA503, magenta). Cell nuclei were stained with DAPI (blue). Confocal images were acquired with a 63x oil objective and post-




Immunofluorescence of Mouse colon: FFPE Mouse colon sections were stained with anti-FUS (11570-1-AP) labeled with FlexAble 2.0 Coralite® Plus 647 Kit (KFA503, magenta), anti-a-SMA (67735-1-lg) labeled with FlexAble 2.0 Coralite® Plus 555 Kit (KFA522, orange) and DAPI (blue).



Immunofluorescence of Rat brain: FFPE Rat brain sections were stained with anti-MAP2 (17490-1-AP) labeled with FlexAble 2.0 CoraLite® Plus 647 Kit (KFA503, magenta), anti-GFAP (60190-1-1g) labeled with FlexAble 2.0 CoraLite® Plus 488 Kit (KFA541, green), anti-TDP-43 (67345-1-1g) labeled with FlexAble 2.0 CoraLite® Plus 555 Kit... (KFA542,organge) and DAPI (blue).



Immunofluorescence of Hela cells: PFA-fixed cells were stained with rabbit IgG anti-TDP43 antibody directly conjugated with CoraLite® Plus 488 (CL488-10782, green), rabbit IgG anti-GM130 antibody directly conjugated with CoraLite® Plus 555 (CL555-11308, red), rabbit IgG anti-Lamin antibody (12987-1-AP) labeled with FlexAble 2.0... CoraLite® Plus 647 Kit (KFA503, magenta) and rabbit IgG anti-Tubulin antibody (80713-1-RR)



1X10<sup>6</sup> HeLa cells were intracellularly stained with anti-Mitofilin rabbit polyclonal antibody (10179-1-AP, red) or with isotype control antibody (30000-0-AP, blue) labeled with FlexAble 2.0 Coralite® Plus 647 Kit (KFA503). Cells were fixed and permeabilized with F0xp3/Transcription Factor

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.