



IHCeasy WTAP Ready-To-Use IHC Kit

Catalog Number: KHC0148

General Information

Sample type: FFPE tissue Cited sample type: Reactivity: Human, Mouse Cited Reactivity: Assay type: Immunohistochemistry Primary antibody type: Mouse Monoclonal

Secondary antibody type: Polymer-HRP-Goat anti-Mouse

Kit Component

Component	Size	Concentration
Antigen Retrieval Buffer	100 mL	50×
Washing Buffer	100 mL ×2	20×
Blocking Buffer	5 mL	RTU
Primary Antibody	5 mL	RTU
Secondary Antibody	5 mL	RTU
Chromogen Component A	0.2 mL	RTU
Chromogen Component B	4 mL	RTU
Signal Enhancer	5 mL	RTU
Counter Staining Reagent	5 mL	RTU
Mounting Media	5 mL	RTU
Control Slide	1 slide (Optional)	FFPE
Datasheet	1 Copy	
Manual	1 Copy	

Storage Instructions

All the reagents are stored at 2-8°C. The kit is stable for 6 months from the date of receipt.


Background

WTAP, also named as KIAA0105 and hFL(2)D, is previously identified as a protein associated with Wilms' tumor-1 (WT-1) protein that is essential for the development of the genitourinary system. It is a Pre-mRNA-splicing regulator protein. It is a regulatory subunit of the WMM N6-methyltransferase complex which plays a role in the efficiency of mRNA splicing and processing and mRNA stability. It is required for accumulation of METTL3 and METTL14 to nuclear speckle.


Synonyms

Female lethal(2)D homolog, hFL(2)D, KIAAO105, WT1 associated protein, WTAP

Selected Validation Data



Immunohistochemical analysis of paraffinembedded human colon tissue slide using KHC0148 (WTAP IHC Kit).



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using KHC0148 (WTAP IHC Kit).