For Research Use Only

## FcZero-rAb™ PE-CoraLite® Plus 594 Anti-Human CD19 (4G7) Rabbit IgG Recombinant Antibody



Catalog Number: PCL594-FcA65562

**Basic Information** 

Catalog Number: PCL594-FcA65562 Concentration: 100tests, 5 ul/test

Source: Rabbit Isotype:

Species Specificity:

GenBank Accession Number:

BC006338 GeneID (NCBI):

ENSEMBL Gene ID: ENSG00000177455 UNIPROT ID: P15391 Full Name:

CD19 molecule Calculated MW: 556 aa, 61 kDa

**Purification Method:** 

Protein A purification

CloneNo.: 4G7

Recommended Dilutions:

FC: 5 ul per 10^6 cells in a 100 µl

suspension

Excitation/Emission maxima

wavelengths:

496 nm, 565 nm / 604 nm

**Applications** 

**Tested Applications:** 

human

Positive Controls:

FC: human PBMCs,

## **Background Information**


CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily (PMID: 2472450). It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells (PMID: 8528044). CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction (PMID: 23210908).

Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

## **Selected Validation Data**



1x10^6 human PBMCs were surface stained with FcZero-rAb™ Coralite® Plus 750 Anti-Human CD3 (UCHT1), and 5 ul PE-CL594 Plus Anti-Human CD19 (4G7) Rabbit IgG RecAb (PCL594-FcA65562, Clone:4G7) or FcZero-rAb™ PE-Coralite® Plus 594 Rabbit IgG Isotype Control Recombinant Antibody (PCL594-FcA98136, Clone: 240953C9). Cells were not fixed. Lymphocytes were gated.



1x10^6 human PBMCs were surface stained with 5 ul PE-CL594 Plus Anti-Human CD19 (4G7) Rabbit IgG RecAb (PCL594-FcA65562, Clone:4G7) (red) or FcZero-rAb™ PE-CoraLite® Plus 594 Rabbit IgG Isotype Control Recombinant Antibody (PCL594-FcA98136, Clone: 240953C9) (blue). Cells were not fixed. Lymphocytes were gated.