For Research Use Only

PE Anti-Human CD45RA (HI100)

Catalog Number: PE-65108



Basic Information

Catalog Number:

PE-65108 Size:

100tests, 5 ul/test

Source: Mouse Isotype:

IgG2b, kappa

IF-P, FC

GenBank Accession Number:

BC014239 GeneID (NCBI): 5788

ENSEMBL Gene ID: ENSG00000081237

UNIPROT ID: P08575

Full Name: protein tyrosine phosphatase,

receptor type, C

Purification Method:

Affinity purification

CloneNo.: HI100

Recommended Dilutions:

IF-P 1:10-1:100

Excitation/Emission maxima

wavelengths:

496 nm, 565 nm / 578 nm

Applications

Tested Applications:

Species Specificity:

Positive Controls:

IF-P: human tonsillitis tissue,

Background Information

CD45, also known as protein tyrosine phosphatase, receptor type C, is a type I transmembrane protein expressed on the surface of all haematopoietic cells with the exception of erythrocytes and platelets (PMID: 3489673; 28615666). CD45 is a pan-haematopoietic cell marker and has been shown to be essential for T- and B-cell activation and signalling (PMID: 9429890; 16378097). CD45 exists as multiple isoforms due to alternative splicing of three exons (4, 5, and 6, designated A, B, and C) in the extracellular domain (PMID: 12414720). CD45RA is expressed on naïve T cells, B cells, and monocytes (PMID: 1830500; 14687231).


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with CL647 Anti-Human CD45RO and 5 ul PE Anti-Human CD45RA (PE-65108, Clone:HI100) or PE Mouse IgG2b Isotype Control. Cells were not fixed. CD3+ lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul PE Anti-Human CD45RA (PE-65108, Clone:HI100) or PE Mouse IgG2b Isotype Control. Cells were not fixed. CD3+ lymphocytes were gated.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded human tonsillitis tissue using PE CD45RA antibody (PE-65108, Clone: HI100) at dilution of 1:10. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).